

PROJECT TITLE :

	Company		Client	
	Author		File Name	

*** PROJECT INFORMATION

Project Name :
Date : 2025/6/20

*** CONTROL DATA

Panel Zone Effect : Do not Calculate
Unit System : KN, M
Definition of Frame
- X Direction of Frame : Braced I Non-sway
- Y Direction of Frame : Braced I Non-sway
- Design Type : 3-D
Design Code
- Steel : AISC (15th) -LRFD16
- Concrete : NSR-10
- SRC : SSRC79

*** LOAD CASE DATA

NO	NAME	TYPE	SELF WEIGHT X	WEIGHT Y	FACTOR Z	DESCRIPTION
1	PP	D	0.000	0.000	-1.000	
2	CM	D	0.000	0.000	0.000	
3	CV	L	0.000	0.000	0.000	
4	EHT	EP	0.000	0.000	0.000	
5	EHA	FP	0.000	0.000	0.000	
6	EVA	D	0.000	0.000	0.000	

*** MATERIAL PROPERTY DATA

NO	NAME	TYPE	MODULUS OF ELASTICITY	SHEAR MODULUS	THERMAL COEFF.	POISSON RATIO	WEIGHT DENSITY
1	Grade C4000	CONC	2.513e+07	1.047e+07	5e-06	0.2	23.56

NO	NAME	TYPE	STEEL	STRENGTH OF CONCRETE	DESIGN MATERIAL MAIN REBAR	SUB REBAR
1	Grade C4000	CONC	-	2.758e+04	4.137e+05	4.137e+05

*** STORY DATA

NAME	LEVEL	HEIGHT	FLOOR DIAPHRAGM
Roof	0.000	0.000	Do not consider
1F	-1.250	1.250	Do not consider

*** NODE DATA

NO	X	Y	Z	TEMPERATURE
1	0	1.8	0	0
2	0	1.8	-1.25	0
3	0	0	0	0
4	0	0	-1.25	0
5	5.4	0	0	0
6	5.4	0	-1.25	0
7	5.4	1.8	-1.25	0
8	5.4	1.8	0	0
9	2.3	0.5	0	0
10	3.1	0.5	0	0
11	3.1	1.3	0	0
12	2.3	1.3	0	0
14	0	1.575	0	0
15	0	1.35	0	0
16	0	1.125	0	0
17	0	0.9	0	0
18	0	0.675	0	0
19	0	0.45	0	0
20	0	0.225	0	0
22	0.23	0.05	0	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	

23	0.46	0.1	0	0
24	0.69	0.15	0	0
25	0.92	0.2	0	0
26	1.15	0.25	0	0
27	1.38	0.3	0	0
28	1.61	0.35	0	0
29	1.84	0.4	0	0
30	2.07	0.45	0	0
32	2.3	0.7	0	0
33	2.3	0.9	0	0
34	2.3	1.1	0	0
36	2.07	1.35	0	0
37	1.84	1.4	0	0
38	1.61	1.45	0	0
39	1.38	1.5	0	0
40	1.15	1.55	0	0
41	0.92	1.6	0	0
42	0.69	1.65	0	0
43	0.46	1.7	0	0
44	0.23	1.75	0	0
45	1.564	0.5806	0	0
46	1.807	0.6444	0	0
47	2.056	0.6844	0	0
48	1.33	0.53	0	0
49	1.096	0.4903	0	0
50	0.87	0.43	0	0
51	2.041	0.8995	0	0
52	0.64	0.38	0	0
53	2.058	1.112	0	0
54	0.4434	0.3271	0	0
55	0.2204	0.2714	0	0
56	1.801	1.152	0	0
57	1.56	1.22	0	0
58	0.2089	0.4889	0	0
59	1.323	1.253	0	0
60	0.1928	0.7026	0	0
61	1.09	1.29	0	0
62	0.2253	0.9068	0	0
63	0.8844	1.378	0	0
64	0.222	1.117	0	0
65	0.6682	1.452	0	0
66	0.2155	1.328	0	0
67	0.4433	1.502	0	0
68	0.2199	1.54	0	0
69	1.518	0.7956	0	0
70	1.76	0.8965	0	0
71	1.286	0.764	0	0
72	1.043	0.749	0	0
73	0.8101	0.6902	0	0
74	0.5995	0.6443	0	0
75	1.513	0.9927	0	0
76	1.274	1.006	0	0
77	0.4701	0.865	0	0
78	0.8164	1.191	0	0
79	0.435	1.096	0	0
80	0.4236	0.5434	0	0
81	0.7311	0.9186	0	0
82	0.6363	1.114	0	0
83	0.6289	1.283	0	0
84	0.3608	0.7033	0	0
85	0.4277	1.304	0	0
86	0.9908	1.028	0	0
98	2.5	1.3	0	0
99	2.7	1.3	0	0
100	2.9	1.3	0	0
102	3.33	1.35	0	0
103	3.56	1.4	0	0
104	3.79	1.45	0	0
105	4.02	1.5	0	0
106	4.25	1.55	0	0
107	4.48	1.6	0	0
108	4.71	1.65	0	0
109	4.94	1.7	0	0
110	5.17	1.75	0	0
112	5.155	1.8	0	0
113	4.909	1.8	0	0
114	4.664	1.8	0	0
115	4.418	1.8	0	0
116	4.173	1.8	0	0

PROJECT TITLE :

	Company				Client	
	Author				File Name	

117	3.927	1.8	0	0
118	3.682	1.8	0	0
119	3.436	1.8	0	0
120	3.191	1.8	0	0
121	2.945	1.8	0	0
122	2.7	1.8	0	0
123	2.455	1.8	0	0
124	2.209	1.8	0	0
125	1.964	1.8	0	0
126	1.718	1.8	0	0
127	1.473	1.8	0	0
128	1.227	1.8	0	0
129	0.9818	1.8	0	0
130	0.7364	1.8	0	0
131	0.4909	1.8	0	0
132	0.2455	1.8	0	0
133	3.505	1.581	0	0
134	3.292	1.577	0	0
135	3.101	1.575	0	0
136	2.686	1.546	0	0
137	2.43	1.515	0	0
138	2.163	1.575	0	0
139	1.923	1.63	0	0
140	2.911	1.567	0	0
152	3.1	1.1	0	0
153	3.1	0.9	0	0
154	3.1	0.7	0	0
156	3.33	0.45	0	0
157	3.56	0.4	0	0
158	3.79	0.35	0	0
159	4.02	0.3	0	0
160	4.25	0.25	0	0
161	4.48	0.2	0	0
162	4.71	0.15	0	0
163	4.94	0.1	0	0
164	5.17	0.05	0	0
166	5.4	0.225	0	0
167	5.4	0.45	0	0
168	5.4	0.675	0	0
169	5.4	0.9	0	0
170	5.4	1.125	0	0
171	5.4	1.35	0	0
172	5.4	1.575	0	0
173	3.343	0.6787	0	0
174	3.588	0.6508	0	0
175	3.829	0.6161	0	0
176	4.066	0.5416	0	0
177	4.296	0.4927	0	0
178	3.348	0.9004	0	0
179	4.529	0.4333	0	0
180	3.342	1.123	0	0
181	4.76	0.38	0	0
182	4.959	0.3213	0	0
183	5.18	0.2703	0	0
184	3.589	1.15	0	0
185	3.832	1.183	0	0
186	4.071	1.248	0	0
187	5.189	0.4901	0	0
188	4.31	1.287	0	0
189	5.199	0.7052	0	0
190	4.53	1.367	0	0
191	5.168	0.8997	0	0
192	4.76	1.42	0	0
193	5.199	1.094	0	0
194	4.958	1.477	0	0
195	5.189	1.31	0	0
196	5.179	1.529	0	0
197	3.607	0.9003	0	0
198	4.116	0.7853	0	0
199	4.341	0.7441	0	0
200	4.579	0.6703	0	0
201	4.798	0.6405	0	0
202	4.124	1.008	0	0
203	4.584	1.135	0	0
204	4.905	0.8989	0	0
205	4.802	1.15	0	0
206	4.976	0.5434	0	0
207	4.976	1.257	0	0
208	4.63	0.901	0	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	

209	5.032	1.087	0	0
210	5.031	0.7125	0	0
211	3.883	0.8992	0	0
212	4.379	1.014	0	0
224	2.5	0.5	0	0
225	2.7	0.5	0	0
226	2.9	0.5	0	0
238	5.155	0	0	0
239	4.909	0	0	0
240	4.664	0	0	0
241	4.418	0	0	0
242	4.173	0	0	0
243	3.927	0	0	0
244	3.682	0	0	0
245	3.436	0	0	0
246	3.191	0	0	0
247	2.945	0	0	0
248	2.7	0	0	0
249	2.455	0	0	0
250	2.209	0	0	0
251	1.964	0	0	0
252	1.718	0	0	0
253	1.473	0	0	0
254	1.227	0	0	0
255	0.9818	0	0	0
256	0.7364	0	0	0
257	0.4909	0	0	0
258	0.2455	0	0	0
259	3.506	0.223	0	0
260	3.31	0.2311	0	0
261	3.117	0.2373	0	0
262	2.684	0.2553	0	0
263	2.43	0.2845	0	0
264	2.163	0.2253	0	0
265	1.923	0.1698	0	0
266	2.913	0.2436	0	0
268	0	1.575	-1.25	0
269	0	1.35	-1.25	0
270	0	1.125	-1.25	0
271	0	0.9	-1.25	0
272	0	0.675	-1.25	0
273	0	0.45	-1.25	0
274	0	0.225	-1.25	0
276	0.2455	0	-1.25	0
277	0.4909	0	-1.25	0
278	0.7364	0	-1.25	0
279	0.9818	0	-1.25	0
280	1.227	0	-1.25	0
281	1.473	0	-1.25	0
282	1.718	0	-1.25	0
283	1.964	0	-1.25	0
284	2.209	0	-1.25	0
285	2.455	0	-1.25	0
286	2.7	0	-1.25	0
287	2.945	0	-1.25	0
288	3.191	0	-1.25	0
289	3.436	0	-1.25	0
290	3.682	0	-1.25	0
291	3.927	0	-1.25	0
292	4.173	0	-1.25	0
293	4.418	0	-1.25	0
294	4.664	0	-1.25	0
295	4.909	0	-1.25	0
296	5.155	0	-1.25	0
298	5.4	0.225	-1.25	0
299	5.4	0.45	-1.25	0
300	5.4	0.675	-1.25	0
301	5.4	0.9	-1.25	0
302	5.4	1.125	-1.25	0
303	5.4	1.35	-1.25	0
304	5.4	1.575	-1.25	0
306	5.155	1.8	-1.25	0
307	4.909	1.8	-1.25	0
308	4.664	1.8	-1.25	0
309	4.418	1.8	-1.25	0
310	4.173	1.8	-1.25	0
311	3.927	1.8	-1.25	0
312	3.682	1.8	-1.25	0
313	3.436	1.8	-1.25	0

PROJECT TITLE :

	Company				Client	
	Author				File Name	

314	3.191	1.8	-1.25	0
315	2.945	1.8	-1.25	0
316	2.7	1.8	-1.25	0
317	2.455	1.8	-1.25	0
318	2.209	1.8	-1.25	0
319	1.964	1.8	-1.25	0
320	1.718	1.8	-1.25	0
321	1.473	1.8	-1.25	0
322	1.227	1.8	-1.25	0
323	0.9818	1.8	-1.25	0
324	0.7364	1.8	-1.25	0
325	0.4909	1.8	-1.25	0
326	0.2455	1.8	-1.25	0
327	5.155	0.225	-1.25	0
328	4.909	0.225	-1.25	0
329	4.664	0.225	-1.25	0
330	4.418	0.225	-1.25	0
331	4.173	0.225	-1.25	0
332	3.927	0.225	-1.25	0
333	3.682	0.225	-1.25	0
334	3.436	0.225	-1.25	0
335	3.191	0.225	-1.25	0
336	2.945	0.225	-1.25	0
337	2.7	0.225	-1.25	0
338	2.455	0.225	-1.25	0
339	2.209	0.225	-1.25	0
340	1.964	0.225	-1.25	0
341	1.718	0.225	-1.25	0
342	1.473	0.225	-1.25	0
343	1.227	0.225	-1.25	0
344	0.9818	0.225	-1.25	0
345	0.7364	0.225	-1.25	0
346	0.4909	0.225	-1.25	0
347	0.2455	0.225	-1.25	0
348	5.155	0.45	-1.25	0
349	4.909	0.45	-1.25	0
350	4.664	0.45	-1.25	0
351	4.418	0.45	-1.25	0
352	4.173	0.45	-1.25	0
353	3.927	0.45	-1.25	0
354	3.682	0.45	-1.25	0
355	3.436	0.45	-1.25	0
356	3.191	0.45	-1.25	0
357	2.945	0.45	-1.25	0
358	2.7	0.45	-1.25	0
359	2.455	0.45	-1.25	0
360	2.209	0.45	-1.25	0
361	1.964	0.45	-1.25	0
362	1.718	0.45	-1.25	0
363	1.473	0.45	-1.25	0
364	1.227	0.45	-1.25	0
365	0.9818	0.45	-1.25	0
366	0.7364	0.45	-1.25	0
367	0.4909	0.45	-1.25	0
368	0.2455	0.45	-1.25	0
369	5.155	0.675	-1.25	0
370	4.909	0.675	-1.25	0
371	4.664	0.675	-1.25	0
372	4.418	0.675	-1.25	0
373	4.173	0.675	-1.25	0
374	3.927	0.675	-1.25	0
375	3.682	0.675	-1.25	0
376	3.436	0.675	-1.25	0
377	3.191	0.675	-1.25	0
378	2.945	0.675	-1.25	0
379	2.7	0.675	-1.25	0
380	2.455	0.675	-1.25	0
381	2.209	0.675	-1.25	0
382	1.964	0.675	-1.25	0
383	1.718	0.675	-1.25	0
384	1.473	0.675	-1.25	0
385	1.227	0.675	-1.25	0
386	0.9818	0.675	-1.25	0
387	0.7364	0.675	-1.25	0
388	0.4909	0.675	-1.25	0
389	0.2455	0.675	-1.25	0
390	5.155	0.9	-1.25	0
391	4.909	0.9	-1.25	0
392	4.664	0.9	-1.25	0

PROJECT TITLE :

	Company				Client	
	Author				File Name	

393	4.418	0.9	-1.25	0
394	4.173	0.9	-1.25	0
395	3.927	0.9	-1.25	0
396	3.682	0.9	-1.25	0
397	3.436	0.9	-1.25	0
398	3.191	0.9	-1.25	0
399	2.945	0.9	-1.25	0
400	2.7	0.9	-1.25	0
401	2.455	0.9	-1.25	0
402	2.209	0.9	-1.25	0
403	1.964	0.9	-1.25	0
404	1.718	0.9	-1.25	0
405	1.473	0.9	-1.25	0
406	1.227	0.9	-1.25	0
407	0.9818	0.9	-1.25	0
408	0.7364	0.9	-1.25	0
409	0.4909	0.9	-1.25	0
410	0.2455	0.9	-1.25	0
411	5.155	1.125	-1.25	0
412	4.909	1.125	-1.25	0
413	4.664	1.125	-1.25	0
414	4.418	1.125	-1.25	0
415	4.173	1.125	-1.25	0
416	3.927	1.125	-1.25	0
417	3.682	1.125	-1.25	0
418	3.436	1.125	-1.25	0
419	3.191	1.125	-1.25	0
420	2.945	1.125	-1.25	0
421	2.7	1.125	-1.25	0
422	2.455	1.125	-1.25	0
423	2.209	1.125	-1.25	0
424	1.964	1.125	-1.25	0
425	1.718	1.125	-1.25	0
426	1.473	1.125	-1.25	0
427	1.227	1.125	-1.25	0
428	0.9818	1.125	-1.25	0
429	0.7364	1.125	-1.25	0
430	0.4909	1.125	-1.25	0
431	0.2455	1.125	-1.25	0
432	5.155	1.35	-1.25	0
433	4.909	1.35	-1.25	0
434	4.664	1.35	-1.25	0
435	4.418	1.35	-1.25	0
436	4.173	1.35	-1.25	0
437	3.927	1.35	-1.25	0
438	3.682	1.35	-1.25	0
439	3.436	1.35	-1.25	0
440	3.191	1.35	-1.25	0
441	2.945	1.35	-1.25	0
442	2.7	1.35	-1.25	0
443	2.455	1.35	-1.25	0
444	2.209	1.35	-1.25	0
445	1.964	1.35	-1.25	0
446	1.718	1.35	-1.25	0
447	1.473	1.35	-1.25	0
448	1.227	1.35	-1.25	0
449	0.9818	1.35	-1.25	0
450	0.7364	1.35	-1.25	0
451	0.4909	1.35	-1.25	0
452	0.2455	1.35	-1.25	0
453	5.155	1.575	-1.25	0
454	4.909	1.575	-1.25	0
455	4.664	1.575	-1.25	0
456	4.418	1.575	-1.25	0
457	4.173	1.575	-1.25	0
458	3.927	1.575	-1.25	0
459	3.682	1.575	-1.25	0
460	3.436	1.575	-1.25	0
461	3.191	1.575	-1.25	0
462	2.945	1.575	-1.25	0
463	2.7	1.575	-1.25	0
464	2.455	1.575	-1.25	0
465	2.209	1.575	-1.25	0
466	1.964	1.575	-1.25	0
467	1.718	1.575	-1.25	0
468	1.473	1.575	-1.25	0
469	1.227	1.575	-1.25	0
470	0.9818	1.575	-1.25	0
471	0.7364	1.575	-1.25	0

PROJECT TITLE :

	Company				Client
	Author				File Name
472	0.4909	1.575	-1.25	0	
473	0.2455	1.575	-1.25	0	
489	0	1.8	-0.25	0	
490	0	1.8	-0.5	0	
491	0	1.8	-0.75	0	
492	0	1.8	-1	0	
495	0	0	-1	0	
496	0	0	-0.75	0	
497	0	0	-0.5	0	
498	0	0	-0.25	0	
500	0	0.4552	-1	0	
501	0	0.2307	-1.001	0	
502	0	0.6783	-1	0	
503	0	0.9003	-1	0	
504	0	0.2341	-0.7489	0	
505	0	1.123	-1	0	
506	0	0.2315	-0.4979	0	
507	0	1.346	-1	0	
508	0	0.2286	-0.2481	0	
509	0	1.571	-1	0	
510	0	0.4543	-0.246	0	
511	0	1.569	-0.7487	0	
512	0	0.6776	-0.2464	0	
513	0	1.569	-0.4972	0	
514	0	0.9001	-0.2467	0	
515	0	1.572	-0.2478	0	
516	0	1.123	-0.2459	0	
517	0	1.346	-0.2456	0	
518	0	0.4584	-0.7474	0	
519	0	0.9007	-0.7482	0	
520	0	0.4568	-0.4962	0	
521	0	1.344	-0.748	0	
522	0	0.6799	-0.4952	0	
523	0	1.344	-0.4955	0	
524	0	1.121	-0.4952	0	
525	0	0.6804	-0.7476	0	
526	0	1.122	-0.7481	0	
527	0	0.9004	-0.4961	0	
577	5.4	0	-1	0	
578	5.4	0	-0.75	0	
579	5.4	0	-0.5	0	
580	5.4	0	-0.25	0	
582	0.2467	0	-1.001	0	
583	0.492	0	-1.001	0	
584	0.737	0	-1.001	0	
585	0.248	0	-0.7502	0	
586	0.982	0	-1.001	0	
587	0.2478	0	-0.4995	0	
588	1.227	0	-1.002	0	
589	0.2464	0	-0.2496	0	
590	1.473	0	-1.002	0	
591	1.718	0	-1.002	0	
592	1.964	0	-1.002	0	
593	0.492	0	-0.249	0	
594	2.209	0	-1.002	0	
595	0.7371	0	-0.2485	0	
596	2.455	0	-1.002	0	
597	0.9821	0	-0.2484	0	
598	2.7	0	-1.001	0	
599	1.227	0	-0.2477	0	
600	2.945	0	-1.002	0	
601	1.473	0	-0.2475	0	
602	3.191	0	-1.002	0	
603	1.718	0	-0.2478	0	
604	3.436	0	-1.001	0	
605	1.964	0	-0.2481	0	
606	3.682	0	-1.002	0	
607	2.209	0	-0.2481	0	
608	3.927	0	-1.001	0	
609	2.455	0	-0.2486	0	
610	4.173	0	-1.001	0	
611	2.7	0	-0.249	0	
612	4.418	0	-1.001	0	
613	2.946	0	-0.2486	0	
614	4.663	0	-1.001	0	
615	3.191	0	-0.2487	0	
616	4.908	0	-1.001	0	
617	3.436	0	-0.2492	0	
618	5.154	0	-1	0	

PROJECT TITLE :

	Company				Client
	Author				File Name

619	3.682	0	-0.2487	0
620	3.927	0	-0.2482	0
621	4.173	0	-0.2485	0
622	5.153	0	-0.7502	0
623	4.418	0	-0.2491	0
624	5.153	0	-0.4999	0
625	4.663	0	-0.2493	0
626	5.154	0	-0.2497	0
627	4.908	0	-0.2495	0
628	0.4934	0	-0.7505	0
629	0.7377	0	-0.7507	0
630	0.9823	0	-0.7517	0
631	0.4934	0	-0.4987	0
632	1.228	0	-0.7524	0
633	1.473	0	-0.7538	0
634	1.718	0	-0.7542	0
635	1.964	0	-0.7522	0
636	2.209	0	-0.7533	0
637	0.7377	0	-0.4978	0
638	2.454	0	-0.7517	0
639	0.9824	0	-0.498	0
640	2.7	0	-0.7516	0
641	1.228	0	-0.4973	0
642	2.945	0	-0.7529	0
643	1.473	0	-0.4972	0
644	3.191	0	-0.7522	0
645	1.718	0	-0.4958	0
646	3.436	0	-0.7511	0
647	1.964	0	-0.4978	0
648	3.682	0	-0.7512	0
649	2.209	0	-0.497	0
650	3.927	0	-0.7512	0
651	2.455	0	-0.4982	0
652	4.172	0	-0.751	0
653	2.7	0	-0.4989	0
654	4.417	0	-0.7505	0
655	2.945	0	-0.4978	0
656	4.662	0	-0.7507	0
657	3.191	0	-0.499	0
658	4.907	0	-0.7505	0
659	3.436	0	-0.4994	0
660	3.682	0	-0.4992	0
661	3.927	0	-0.4985	0
662	4.172	0	-0.4986	0
663	4.418	0	-0.4986	0
664	4.907	0	-0.4998	0
665	4.662	0	-0.4994	0
681	5.4	1.8	-0.25	0
682	5.4	1.8	-0.5	0
683	5.4	1.8	-0.75	0
684	5.4	1.8	-1	0
692	5.4	1.571	-1.002	0
693	5.4	1.345	-1.004	0
694	5.4	1.122	-1.001	0
695	5.4	1.568	-0.7523	0
696	5.4	0.9001	-0.9985	0
697	5.4	1.567	-0.5013	0
698	5.4	0.6776	-1	0
699	5.4	1.57	-0.2496	0
700	5.4	0.4537	-1.002	0
701	5.4	0.2281	-1.001	0
702	5.4	1.346	-0.2499	0
703	5.4	1.123	-0.2493	0
704	5.4	0.2297	-0.7514	0
705	5.4	0.8998	-0.2475	0
706	5.4	0.2301	-0.5005	0
707	5.4	0.6768	-0.2484	0
708	5.4	0.2283	-0.2494	0
709	5.4	0.4531	-0.249	0
710	5.4	1.343	-0.7532	0
711	5.4	1.121	-0.7504	0
712	5.4	1.343	-0.5013	0
713	5.4	0.6782	-0.7491	0
714	5.4	0.455	-0.7511	0
715	5.4	0.8997	-0.4972	0
716	5.4	0.455	-0.4999	0
717	5.4	0.6778	-0.4985	0
718	5.4	1.121	-0.4997	0
719	5.4	0.8997	-0.7475	0

PROJECT TITLE :

	Company				Client		
	Author				File Name		

774	0.2467	1.8	-1.001	0
775	0.492	1.8	-1.001	0
776	0.737	1.8	-1.001	0
777	0.248	1.8	-0.7502	0
778	0.982	1.8	-1.001	0
779	0.2478	1.8	-0.4995	0
780	1.227	1.8	-1.002	0
781	0.2464	1.8	-0.2496	0
782	1.473	1.8	-1.001	0
783	1.718	1.8	-1.002	0
784	1.964	1.8	-1.002	0
785	0.492	1.8	-0.249	0
786	2.209	1.8	-1.002	0
787	0.7371	1.8	-0.2485	0
788	2.454	1.8	-1.002	0
789	0.9821	1.8	-0.2484	0
790	2.7	1.8	-1.002	0
791	1.227	1.8	-0.2477	0
792	2.945	1.8	-1.002	0
793	1.473	1.8	-0.2485	0
794	3.191	1.8	-1.002	0
795	1.718	1.8	-0.248	0
796	3.436	1.8	-1.003	0
797	1.964	1.8	-0.2478	0
798	3.682	1.8	-1.002	0
799	2.209	1.8	-0.2482	0
800	3.927	1.8	-1.001	0
801	2.455	1.8	-0.2489	0
802	4.173	1.8	-1.001	0
803	2.7	1.8	-0.2483	0
804	4.418	1.8	-1.001	0
805	2.946	1.8	-0.2487	0
806	4.663	1.8	-1.001	0
807	3.191	1.8	-0.2481	0
808	4.908	1.8	-1.001	0
809	3.436	1.8	-0.249	0
810	5.154	1.8	-1	0
811	3.682	1.8	-0.2481	0
812	3.927	1.8	-0.2485	0
813	4.173	1.8	-0.2482	0
814	5.153	1.8	-0.7502	0
815	4.418	1.8	-0.2491	0
816	5.153	1.8	-0.4999	0
817	4.663	1.8	-0.2495	0
818	5.154	1.8	-0.2498	0
819	4.908	1.8	-0.2496	0
820	0.4934	1.8	-0.7505	0
821	0.7377	1.8	-0.7507	0
822	0.9823	1.8	-0.7517	0
823	0.4934	1.8	-0.4987	0
824	1.228	1.8	-0.7524	0
825	1.473	1.8	-0.7522	0
826	1.718	1.8	-0.7526	0
827	1.964	1.8	-0.7523	0
828	2.209	1.8	-0.7519	0
829	0.7377	1.8	-0.4978	0
830	2.455	1.8	-0.7517	0
831	0.9824	1.8	-0.498	0
832	2.7	1.8	-0.753	0
833	1.228	1.8	-0.4973	0
834	2.946	1.8	-0.7528	0
835	1.473	1.8	-0.4982	0
836	3.191	1.8	-0.7526	0
837	1.718	1.8	-0.4978	0
838	3.436	1.8	-0.7521	0
839	1.964	1.8	-0.4974	0
840	3.682	1.8	-0.7511	0
841	2.209	1.8	-0.4981	0
842	3.927	1.8	-0.751	0
843	2.455	1.8	-0.4992	0
844	4.172	1.8	-0.7512	0
845	2.7	1.8	-0.4975	0
846	4.417	1.8	-0.751	0
847	2.946	1.8	-0.499	0
848	4.662	1.8	-0.7509	0
849	3.191	1.8	-0.4976	0
850	4.907	1.8	-0.7505	0
851	3.436	1.8	-0.4996	0
852	3.682	1.8	-0.499	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	

853	3.927	1.8	-0.4998	0
854	4.172	1.8	-0.4991	0
855	4.417	1.8	-0.4996	0
856	4.907	1.8	-0.4999	0
857	4.662	1.8	-0.4997	0

** POINT SPRING SUPPORT

NODE	TRANSLATIONAL DIRECTION			ROTATIONAL DIRECTION		
	SDx	SDy	SDz	SRx	SRy	SRz
2	1.3807	1.3807	13.8068	0.0000	0.0000	0.0000
4	1.3807	1.3807	13.8068	0.0000	0.0000	0.0000
6	1.3807	1.3807	13.8068	0.0000	0.0000	0.0000
7	1.3807	1.3807	13.8068	0.0000	0.0000	0.0000
268	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
269	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
270	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
271	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
272	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
273	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
274	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
276	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
277	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
278	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
279	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
280	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
281	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
282	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
283	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
284	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
285	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
286	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
287	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
288	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
289	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
290	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
291	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
292	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
293	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
294	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
295	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
296	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
298	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
299	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
300	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
301	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
302	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
303	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
304	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
306	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
307	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
308	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
309	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
310	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
311	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
312	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
313	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
314	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
315	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
316	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
317	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
318	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
319	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
320	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
321	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
322	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
323	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
324	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
325	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
326	2.7614	2.7614	27.6136	0.0000	0.0000	0.0000
327	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
328	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
329	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
330	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
331	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
332	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
333	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000

	Company		Client	
	Author		File Name	

Modeling, Integrated Design & Analysis Software
http://www.MidasUser.com
Gen 2025

Print Date/Time : 06/20/2025 14:14
- 11 / 22 -

PROJECT TITLE :

	Company		Client	
	Author		File Name	

413	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
414	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
415	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
416	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
417	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
418	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
419	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
420	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
421	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
422	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
423	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
424	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
425	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
426	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
427	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
428	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
429	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
430	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
431	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
432	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
433	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
434	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
435	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
436	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
437	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
438	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
439	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
440	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
441	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
442	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
443	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
444	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
445	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
446	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
447	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
448	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
449	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
450	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
451	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
452	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
453	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
454	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
455	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
456	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
457	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
458	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
459	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
460	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
461	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
462	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
463	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
464	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
465	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
466	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
467	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
468	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
469	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
470	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
471	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
472	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000
473	5.5227	5.5227	55.2273	0.0000	0.0000	0.0000

*** PLATE MEMBER DATA

NO	NODAL CONNECTIVITY				MATERIAL	THICKNESS	AREA
	1	2	3	4			
23	82	81	86	78	Grade C4000	0.2	0.05187
24	59	76	75	57	Grade C4000	0.2	0.05765
25	68	44	1	14	Grade C4000	0.2	0.04912
26	42	65	63	41	Grade C4000	0.2	0.0486
27	30	9	32	47	Grade C4000	0.2	0.05167
28	39	59	57	38	Grade C4000	0.2	0.05789
29	3	22	55	20	Grade C4000	0.2	0.05049
30	29	30	47	46	Grade C4000	0.2	0.05846
31	47	32	33	51	Grade C4000	0.2	0.05228
32	36	53	34	12	Grade C4000	0.2	0.05183
33	64	16	17	62	Grade C4000	0.2	0.04869

PROJECT TITLE :

	Company				Client		
	Author				File Name		
34	83	65	67	85	Grade C4000	0.2	0.04009
35	86	61	63	78	Grade C4000	0.2	0.0531
36	52	54	23	24	Grade C4000	0.2	0.05046
37	61	59	39	40	Grade C4000	0.2	0.06115
38	19	58	60	18	Grade C4000	0.2	0.04431
39	37	38	57	56	Grade C4000	0.2	0.05898
40	53	51	33	34	Grade C4000	0.2	0.05176
41	78	63	65	83	Grade C4000	0.2	0.04048
42	44	68	67	43	Grade C4000	0.2	0.04683
43	14	15	66	68	Grade C4000	0.2	0.04762
44	52	50	73	74	Grade C4000	0.2	0.06017
45	60	58	80	84	Grade C4000	0.2	0.03684
46	26	49	50	25	Grade C4000	0.2	0.05651
47	28	29	46	45	Grade C4000	0.2	0.05845
48	77	62	60	84	Grade C4000	0.2	0.03922
49	71	69	75	76	Grade C4000	0.2	0.05182
50	52	24	25	50	Grade C4000	0.2	0.0554
51	58	19	20	55	Grade C4000	0.2	0.04773
52	41	63	61	40	Grade C4000	0.2	0.0557
53	69	71	48	45	Grade C4000	0.2	0.0541
54	51	70	46	47	Grade C4000	0.2	0.06258
55	62	77	79	64	Grade C4000	0.2	0.04988
56	15	16	64	66	Grade C4000	0.2	0.04763
57	67	68	66	85	Grade C4000	0.2	0.04499
58	42	43	67	65	Grade C4000	0.2	0.04597
59	72	73	50	49	Grade C4000	0.2	0.06293
60	27	28	45	48	Grade C4000	0.2	0.05581
61	37	56	53	36	Grade C4000	0.2	0.06038
62	70	69	45	46	Grade C4000	0.2	0.06049
63	17	18	60	62	Grade C4000	0.2	0.04458
64	55	54	80	58	Grade C4000	0.2	0.04834
65	26	27	48	49	Grade C4000	0.2	0.05684
66	22	23	54	55	Grade C4000	0.2	0.05149
67	57	75	70	56	Grade C4000	0.2	0.06251
68	72	71	76	86	Grade C4000	0.2	0.06844
69	49	48	71	72	Grade C4000	0.2	0.06005
70	72	86	81	73	Grade C4000	0.2	0.06805
71	61	86	76	59	Grade C4000	0.2	0.06785
72	80	74	77	84	Grade C4000	0.2	0.03976
73	66	64	79	85	Grade C4000	0.2	0.04438
74	56	70	51	53	Grade C4000	0.2	0.06339
75	54	52	74	80	Grade C4000	0.2	0.04707
76	73	81	77	74	Grade C4000	0.2	0.05813
77	79	77	81	82	Grade C4000	0.2	0.05164
78	85	79	82	83	Grade C4000	0.2	0.03791
79	70	75	69	0	Grade C4000	0.2	0.02413
80	83	82	78	0	Grade C4000	0.2	0.01548
81	135	11	102	134	Grade C4000	0.2	0.0532
82	138	139	37	36	Grade C4000	0.2	0.05818
83	114	108	109	113	Grade C4000	0.2	0.03068
84	124	125	139	138	Grade C4000	0.2	0.04923
85	42	41	129	130	Grade C4000	0.2	0.04295
86	103	133	134	102	Grade C4000	0.2	0.04632
87	99	136	137	98	Grade C4000	0.2	0.05324
88	107	115	116	106	Grade C4000	0.2	0.05523
89	127	128	40	39	Grade C4000	0.2	0.0675
90	108	114	115	107	Grade C4000	0.2	0.04295
91	134	133	118	119	Grade C4000	0.2	0.05041
92	131	132	44	43	Grade C4000	0.2	0.01841
93	36	12	137	138	Grade C4000	0.2	0.06071
94	117	105	106	116	Grade C4000	0.2	0.0675
95	43	42	130	131	Grade C4000	0.2	0.03068
96	41	40	128	129	Grade C4000	0.2	0.05523
97	135	120	121	140	Grade C4000	0.2	0.04975
98	118	104	105	117	Grade C4000	0.2	0.07977
99	137	123	124	138	Grade C4000	0.2	0.06628
100	113	109	110	112	Grade C4000	0.2	0.01841
101	39	38	126	127	Grade C4000	0.2	0.07977
102	140	121	122	136	Grade C4000	0.2	0.05704
103	118	133	103	104	Grade C4000	0.2	0.06502
104	140	100	11	135	Grade C4000	0.2	0.05285
105	119	120	135	134	Grade C4000	0.2	0.0488
106	123	137	136	122	Grade C4000	0.2	0.06726
107	126	38	37	139	Grade C4000	0.2	0.07352
108	100	140	136	99	Grade C4000	0.2	0.05445
109	132	1	44	0	Grade C4000	0.2	0.006136
110	112	110	8	0	Grade C4000	0.2	0.006136
111	137	12	98	0	Grade C4000	0.2	0.02155
112	139	125	126	0	Grade C4000	0.2	0.02084

PROJECT TITLE :

	Company					Client	
	Author					File Name	
113	206	182	183	187	Grade C4000	0.2	0.04855
114	182	181	162	163	Grade C4000	0.2	0.05029
115	157	174	173	156	Grade C4000	0.2	0.05774
116	204	208	200	201	Grade C4000	0.2	0.06177
117	153	154	173	178	Grade C4000	0.2	0.05177
118	179	200	199	177	Grade C4000	0.2	0.06064
119	174	157	158	175	Grade C4000	0.2	0.06227
120	5	166	183	164	Grade C4000	0.2	0.05036
121	107	190	192	108	Grade C4000	0.2	0.05588
122	196	194	207	195	Grade C4000	0.2	0.04851
123	8	110	196	172	Grade C4000	0.2	0.05043
124	103	184	185	104	Grade C4000	0.2	0.06267
125	180	152	153	178	Grade C4000	0.2	0.05174
126	178	197	184	180	Grade C4000	0.2	0.05992
127	181	201	200	179	Grade C4000	0.2	0.05785
128	187	183	166	167	Grade C4000	0.2	0.04817
129	186	185	211	202	Grade C4000	0.2	0.06738
130	105	104	185	186	Grade C4000	0.2	0.0635
131	204	191	193	209	Grade C4000	0.2	0.04082
132	167	168	189	187	Grade C4000	0.2	0.04553
133	172	196	195	171	Grade C4000	0.2	0.04819
134	110	109	194	196	Grade C4000	0.2	0.05075
135	193	195	207	209	Grade C4000	0.2	0.03749
136	170	193	191	169	Grade C4000	0.2	0.04523
137	178	173	174	197	Grade C4000	0.2	0.05952
138	192	190	203	205	Grade C4000	0.2	0.0579
139	169	191	189	168	Grade C4000	0.2	0.04521
140	102	11	152	180	Grade C4000	0.2	0.05058
141	204	205	203	208	Grade C4000	0.2	0.06045
142	181	179	161	162	Grade C4000	0.2	0.05593
143	198	211	175	176	Grade C4000	0.2	0.06685
144	109	108	192	194	Grade C4000	0.2	0.05023
145	160	177	176	159	Grade C4000	0.2	0.05793
146	207	205	204	209	Grade C4000	0.2	0.04327
147	170	171	195	193	Grade C4000	0.2	0.04558
148	156	173	154	10	Grade C4000	0.2	0.05088
149	159	176	175	158	Grade C4000	0.2	0.06193
150	103	102	180	184	Grade C4000	0.2	0.05776
151	107	106	188	190	Grade C4000	0.2	0.05933
152	105	186	188	106	Grade C4000	0.2	0.0627
153	160	161	179	177	Grade C4000	0.2	0.05777
154	164	183	182	163	Grade C4000	0.2	0.05046
155	190	188	212	203	Grade C4000	0.2	0.05984
156	204	201	206	210	Grade C4000	0.2	0.044
157	189	191	204	210	Grade C4000	0.2	0.04071
158	175	211	197	174	Grade C4000	0.2	0.06948
159	177	199	198	176	Grade C4000	0.2	0.0585
160	197	211	185	184	Grade C4000	0.2	0.06973
161	199	212	202	198	Grade C4000	0.2	0.05944
162	206	187	189	210	Grade C4000	0.2	0.03747
163	199	200	208	212	Grade C4000	0.2	0.06531
164	188	186	202	212	Grade C4000	0.2	0.06479
165	182	206	201	181	Grade C4000	0.2	0.04767
166	194	192	205	207	Grade C4000	0.2	0.04806
167	211	198	202	0	Grade C4000	0.2	0.02637
168	212	208	203	0	Grade C4000	0.2	0.02687
169	164	163	239	238	Grade C4000	0.2	0.01841
170	22	258	257	23	Grade C4000	0.2	0.01841
171	225	224	263	262	Grade C4000	0.2	0.05289
172	160	159	243	242	Grade C4000	0.2	0.0675
173	260	259	157	156	Grade C4000	0.2	0.04326
174	254	26	25	255	Grade C4000	0.2	0.05523
175	252	28	27	253	Grade C4000	0.2	0.07977
176	241	240	162	161	Grade C4000	0.2	0.04295
177	245	244	259	260	Grade C4000	0.2	0.04952
178	264	30	29	265	Grade C4000	0.2	0.05818
179	161	160	242	241	Grade C4000	0.2	0.05523
180	249	248	262	263	Grade C4000	0.2	0.06714
181	226	225	262	266	Grade C4000	0.2	0.0537
182	23	257	256	24	Grade C4000	0.2	0.03068
183	255	25	24	256	Grade C4000	0.2	0.04295
184	263	264	250	249	Grade C4000	0.2	0.06628
185	159	158	244	243	Grade C4000	0.2	0.07977
186	246	261	266	247	Grade C4000	0.2	0.05393
187	163	162	240	239	Grade C4000	0.2	0.03068
188	253	27	26	254	Grade C4000	0.2	0.0675
189	260	261	246	245	Grade C4000	0.2	0.05097
190	156	10	261	260	Grade C4000	0.2	0.05091
191	263	9	30	264	Grade C4000	0.2	0.06071

PROJECT TITLE :

	Company				Client			
	Author				File Name			
192	244	158	157	259	Grade C4000	0.2	0.06458	
193	266	261	10	226	Grade C4000	0.2	0.05244	
194	248	247	266	262	Grade C4000	0.2	0.05898	
195	250	264	265	251	Grade C4000	0.2	0.04923	
196	252	265	29	28	Grade C4000	0.2	0.07352	
197	22	3	258	0	Grade C4000	0.2	0.006136	
198	265	252	251	0	Grade C4000	0.2	0.02084	
199	263	224	9	0	Grade C4000	0.2	0.02155	
200	5	164	238	0	Grade C4000	0.2	0.006136	
201	6	298	327	296	Grade C4000	0.3	0.05523	
202	296	327	328	295	Grade C4000	0.3	0.05523	
203	295	328	329	294	Grade C4000	0.3	0.05523	
204	294	329	330	293	Grade C4000	0.3	0.05523	
205	293	330	331	292	Grade C4000	0.3	0.05523	
206	292	331	332	291	Grade C4000	0.3	0.05523	
207	291	332	333	290	Grade C4000	0.3	0.05523	
208	290	333	334	289	Grade C4000	0.3	0.05523	
209	289	334	335	288	Grade C4000	0.3	0.05523	
210	288	335	336	287	Grade C4000	0.3	0.05523	
211	287	336	337	286	Grade C4000	0.3	0.05523	
212	286	337	338	285	Grade C4000	0.3	0.05523	
213	285	338	339	284	Grade C4000	0.3	0.05523	
214	284	339	340	283	Grade C4000	0.3	0.05523	
215	283	340	341	282	Grade C4000	0.3	0.05523	
216	282	341	342	281	Grade C4000	0.3	0.05523	
217	281	342	343	280	Grade C4000	0.3	0.05523	
218	280	343	344	279	Grade C4000	0.3	0.05523	
219	279	344	345	278	Grade C4000	0.3	0.05523	
220	278	345	346	277	Grade C4000	0.3	0.05523	
221	277	346	347	276	Grade C4000	0.3	0.05523	
222	276	347	274	4	Grade C4000	0.3	0.05523	
223	298	299	348	327	Grade C4000	0.3	0.05523	
224	327	348	349	328	Grade C4000	0.3	0.05523	
225	328	349	350	329	Grade C4000	0.3	0.05523	
226	329	350	351	330	Grade C4000	0.3	0.05523	
227	330	351	352	331	Grade C4000	0.3	0.05523	
228	331	352	353	332	Grade C4000	0.3	0.05523	
229	332	353	354	333	Grade C4000	0.3	0.05523	
230	333	354	355	334	Grade C4000	0.3	0.05523	
231	334	355	356	335	Grade C4000	0.3	0.05523	
232	335	356	357	336	Grade C4000	0.3	0.05523	
233	336	357	358	337	Grade C4000	0.3	0.05523	
234	337	358	359	338	Grade C4000	0.3	0.05523	
235	338	359	360	339	Grade C4000	0.3	0.05523	
236	339	360	361	340	Grade C4000	0.3	0.05523	
237	340	361	362	341	Grade C4000	0.3	0.05523	
238	341	362	363	342	Grade C4000	0.3	0.05523	
239	342	363	364	343	Grade C4000	0.3	0.05523	
240	343	364	365	344	Grade C4000	0.3	0.05523	
241	344	365	366	345	Grade C4000	0.3	0.05523	
242	345	366	367	346	Grade C4000	0.3	0.05523	
243	346	367	368	347	Grade C4000	0.3	0.05523	
244	347	368	273	274	Grade C4000	0.3	0.05523	
245	299	300	369	348	Grade C4000	0.3	0.05523	
246	348	369	370	349	Grade C4000	0.3	0.05523	
247	349	370	371	350	Grade C4000	0.3	0.05523	
248	350	371	372	351	Grade C4000	0.3	0.05523	
249	351	372	373	352	Grade C4000	0.3	0.05523	
250	352	373	374	353	Grade C4000	0.3	0.05523	
251	353	374	375	354	Grade C4000	0.3	0.05523	
252	354	375	376	355	Grade C4000	0.3	0.05523	
253	355	376	377	356	Grade C4000	0.3	0.05523	
254	356	377	378	357	Grade C4000	0.3	0.05523	
255	357	378	379	358	Grade C4000	0.3	0.05523	
256	358	379	380	359	Grade C4000	0.3	0.05523	
257	359	380	381	360	Grade C4000	0.3	0.05523	
258	360	381	382	361	Grade C4000	0.3	0.05523	
259	361	382	383	362	Grade C4000	0.3	0.05523	
260	362	383	384	363	Grade C4000	0.3	0.05523	
261	363	384	385	364	Grade C4000	0.3	0.05523	
262	364	385	386	365	Grade C4000	0.3	0.05523	
263	365	386	387	366	Grade C4000	0.3	0.05523	
264	366	387	388	367	Grade C4000	0.3	0.05523	
265	367	388	389	368	Grade C4000	0.3	0.05523	
266	368	389	272	273	Grade C4000	0.3	0.05523	
267	300	301	390	369	Grade C4000	0.3	0.05523	
268	369	390	391	370	Grade C4000	0.3	0.05523	
269	370	391	392	371	Grade C4000	0.3	0.05523	
270	371	392	393	372	Grade C4000	0.3	0.05523	

PROJECT TITLE :

	Company					Client		
	Author					File Name		
271	372	393	394	373	Grade C4000	0.3	0.05523	
272	373	394	395	374	Grade C4000	0.3	0.05523	
273	374	395	396	375	Grade C4000	0.3	0.05523	
274	375	396	397	376	Grade C4000	0.3	0.05523	
275	376	397	398	377	Grade C4000	0.3	0.05523	
276	377	398	399	378	Grade C4000	0.3	0.05523	
277	378	399	400	379	Grade C4000	0.3	0.05523	
278	379	400	401	380	Grade C4000	0.3	0.05523	
279	380	401	402	381	Grade C4000	0.3	0.05523	
280	381	402	403	382	Grade C4000	0.3	0.05523	
281	382	403	404	383	Grade C4000	0.3	0.05523	
282	383	404	405	384	Grade C4000	0.3	0.05523	
283	384	405	406	385	Grade C4000	0.3	0.05523	
284	385	406	407	386	Grade C4000	0.3	0.05523	
285	386	407	408	387	Grade C4000	0.3	0.05523	
286	387	408	409	388	Grade C4000	0.3	0.05523	
287	388	409	410	389	Grade C4000	0.3	0.05523	
288	389	410	271	272	Grade C4000	0.3	0.05523	
289	301	302	411	390	Grade C4000	0.3	0.05523	
290	390	411	412	391	Grade C4000	0.3	0.05523	
291	391	412	413	392	Grade C4000	0.3	0.05523	
292	392	413	414	393	Grade C4000	0.3	0.05523	
293	393	414	415	394	Grade C4000	0.3	0.05523	
294	394	415	416	395	Grade C4000	0.3	0.05523	
295	395	416	417	396	Grade C4000	0.3	0.05523	
296	396	417	418	397	Grade C4000	0.3	0.05523	
297	397	418	419	398	Grade C4000	0.3	0.05523	
298	398	419	420	399	Grade C4000	0.3	0.05523	
299	399	420	421	400	Grade C4000	0.3	0.05523	
300	400	421	422	401	Grade C4000	0.3	0.05523	
301	401	422	423	402	Grade C4000	0.3	0.05523	
302	402	423	424	403	Grade C4000	0.3	0.05523	
303	403	424	425	404	Grade C4000	0.3	0.05523	
304	404	425	426	405	Grade C4000	0.3	0.05523	
305	405	426	427	406	Grade C4000	0.3	0.05523	
306	406	427	428	407	Grade C4000	0.3	0.05523	
307	407	428	429	408	Grade C4000	0.3	0.05523	
308	408	429	430	409	Grade C4000	0.3	0.05523	
309	409	430	431	410	Grade C4000	0.3	0.05523	
310	410	431	270	271	Grade C4000	0.3	0.05523	
311	302	303	432	411	Grade C4000	0.3	0.05523	
312	411	432	433	412	Grade C4000	0.3	0.05523	
313	412	433	434	413	Grade C4000	0.3	0.05523	
314	413	434	435	414	Grade C4000	0.3	0.05523	
315	414	435	436	415	Grade C4000	0.3	0.05523	
316	415	436	437	416	Grade C4000	0.3	0.05523	
317	416	437	438	417	Grade C4000	0.3	0.05523	
318	417	438	439	418	Grade C4000	0.3	0.05523	
319	418	439	440	419	Grade C4000	0.3	0.05523	
320	419	440	441	420	Grade C4000	0.3	0.05523	
321	420	441	442	421	Grade C4000	0.3	0.05523	
322	421	442	443	422	Grade C4000	0.3	0.05523	
323	422	443	444	423	Grade C4000	0.3	0.05523	
324	423	444	445	424	Grade C4000	0.3	0.05523	
325	424	445	446	425	Grade C4000	0.3	0.05523	
326	425	446	447	426	Grade C4000	0.3	0.05523	
327	426	447	448	427	Grade C4000	0.3	0.05523	
328	427	448	449	428	Grade C4000	0.3	0.05523	
329	428	449	450	429	Grade C4000	0.3	0.05523	
330	429	450	451	430	Grade C4000	0.3	0.05523	
331	430	451	452	431	Grade C4000	0.3	0.05523	
332	431	452	269	270	Grade C4000	0.3	0.05523	
333	303	304	453	432	Grade C4000	0.3	0.05523	
334	432	453	454	433	Grade C4000	0.3	0.05523	
335	433	454	455	434	Grade C4000	0.3	0.05523	
336	434	455	456	435	Grade C4000	0.3	0.05523	
337	435	456	457	436	Grade C4000	0.3	0.05523	
338	436	457	458	437	Grade C4000	0.3	0.05523	
339	437	458	459	438	Grade C4000	0.3	0.05523	
340	438	459	460	439	Grade C4000	0.3	0.05523	
341	439	460	461	440	Grade C4000	0.3	0.05523	
342	440	461	462	441	Grade C4000	0.3	0.05523	
343	441	462	463	442	Grade C4000	0.3	0.05523	
344	442	463	464	443	Grade C4000	0.3	0.05523	
345	443	464	465	444	Grade C4000	0.3	0.05523	
346	444	465	466	445	Grade C4000	0.3	0.05523	
347	445	466	467	446	Grade C4000	0.3	0.05523	
348	446	467	468	447	Grade C4000	0.3	0.05523	
349	447	468	469	448	Grade C4000	0.3	0.05523	

PROJECT TITLE :

	Company				Client			
	Author				File Name			
350	448	469	470	449	Grade C4000	0.3	0.05523	
351	449	470	471	450	Grade C4000	0.3	0.05523	
352	450	471	472	451	Grade C4000	0.3	0.05523	
353	451	472	473	452	Grade C4000	0.3	0.05523	
354	452	473	268	269	Grade C4000	0.3	0.05523	
355	304	7	306	453	Grade C4000	0.3	0.05523	
356	453	306	307	454	Grade C4000	0.3	0.05523	
357	454	307	308	455	Grade C4000	0.3	0.05523	
358	455	308	309	456	Grade C4000	0.3	0.05523	
359	456	309	310	457	Grade C4000	0.3	0.05523	
360	457	310	311	458	Grade C4000	0.3	0.05523	
361	458	311	312	459	Grade C4000	0.3	0.05523	
362	459	312	313	460	Grade C4000	0.3	0.05523	
363	460	313	314	461	Grade C4000	0.3	0.05523	
364	461	314	315	462	Grade C4000	0.3	0.05523	
365	462	315	316	463	Grade C4000	0.3	0.05523	
366	463	316	317	464	Grade C4000	0.3	0.05523	
367	464	317	318	465	Grade C4000	0.3	0.05523	
368	465	318	319	466	Grade C4000	0.3	0.05523	
369	466	319	320	467	Grade C4000	0.3	0.05523	
370	467	320	321	468	Grade C4000	0.3	0.05523	
371	468	321	322	469	Grade C4000	0.3	0.05523	
372	469	322	323	470	Grade C4000	0.3	0.05523	
373	470	323	324	471	Grade C4000	0.3	0.05523	
374	471	324	325	472	Grade C4000	0.3	0.05523	
375	472	325	326	473	Grade C4000	0.3	0.05523	
376	473	326	2	268	Grade C4000	0.3	0.05523	
377	489	490	513	515	Grade C4000	0.3	0.05736	
378	521	526	524	523	Grade C4000	0.3	0.05619	
379	511	509	507	521	Grade C4000	0.3	0.05664	
380	512	510	19	18	Grade C4000	0.3	0.05519	
381	269	507	509	268	Grade C4000	0.3	0.05617	
382	516	16	15	517	Grade C4000	0.3	0.0551	
383	495	496	504	501	Grade C4000	0.3	0.05833	
384	273	500	502	272	Grade C4000	0.3	0.056	
385	515	517	15	14	Grade C4000	0.3	0.05558	
386	506	508	510	520	Grade C4000	0.3	0.05637	
387	498	508	506	497	Grade C4000	0.3	0.0575	
388	271	503	505	270	Grade C4000	0.3	0.05591	
389	17	514	512	18	Grade C4000	0.3	0.05517	
390	502	503	271	272	Grade C4000	0.3	0.05586	
391	514	516	524	527	Grade C4000	0.3	0.05525	
392	273	274	501	500	Grade C4000	0.3	0.05608	
393	512	522	520	510	Grade C4000	0.3	0.05569	
394	492	509	511	491	Grade C4000	0.3	0.05767	
395	511	521	523	513	Grade C4000	0.3	0.05677	
396	492	2	268	509	Grade C4000	0.3	0.05672	
397	491	511	513	490	Grade C4000	0.3	0.05795	
398	489	515	14	1	Grade C4000	0.3	0.05642	
399	270	505	507	269	Grade C4000	0.3	0.05606	
400	523	524	516	517	Grade C4000	0.3	0.0557	
401	526	505	503	519	Grade C4000	0.3	0.05586	
402	505	526	521	507	Grade C4000	0.3	0.05613	
403	498	3	20	508	Grade C4000	0.3	0.05649	
404	495	501	274	4	Grade C4000	0.3	0.05686	
405	524	526	519	527	Grade C4000	0.3	0.05576	
406	518	525	502	500	Grade C4000	0.3	0.0562	
407	19	510	508	20	Grade C4000	0.3	0.05568	
408	17	16	516	514	Grade C4000	0.3	0.05512	
409	496	497	506	504	Grade C4000	0.3	0.05833	
410	517	515	513	523	Grade C4000	0.3	0.05626	
411	520	518	504	506	Grade C4000	0.3	0.05645	
412	525	519	503	502	Grade C4000	0.3	0.05579	
413	522	512	514	527	Grade C4000	0.3	0.05517	
414	519	525	522	527	Grade C4000	0.3	0.05559	
415	500	501	504	518	Grade C4000	0.3	0.05661	
416	522	525	518	520	Grade C4000	0.3	0.05603	
417	604	289	290	606	Grade C4000	0.3	0.06101	
418	239	627	626	238	Grade C4000	0.3	0.06129	
419	596	285	286	598	Grade C4000	0.3	0.06097	
420	614	612	293	294	Grade C4000	0.3	0.06114	
421	605	607	250	251	Grade C4000	0.3	0.06091	
422	242	621	623	241	Grade C4000	0.3	0.06104	
423	590	588	280	281	Grade C4000	0.3	0.0609	
424	584	278	279	586	Grade C4000	0.3	0.061	
425	602	288	289	604	Grade C4000	0.3	0.061	
426	254	255	597	599	Grade C4000	0.3	0.06085	
427	595	593	631	637	Grade C4000	0.3	0.06105	
428	589	593	257	258	Grade C4000	0.3	0.0612	

PROJECT TITLE :

	Company				Client			
	Author				File Name			
429	587	589	498	497	Grade C4000	0.3	0.06178	
430	292	610	608	291	Grade C4000	0.3	0.06113	
431	656	654	612	614	Grade C4000	0.3	0.06127	
432	296	6	577	618	Grade C4000	0.3	0.06144	
433	247	613	615	246	Grade C4000	0.3	0.06104	
434	287	600	598	286	Grade C4000	0.3	0.06099	
435	647	635	636	649	Grade C4000	0.3	0.06269	
436	247	248	611	613	Grade C4000	0.3	0.06109	
437	640	638	596	598	Grade C4000	0.3	0.06135	
438	282	591	590	281	Grade C4000	0.3	0.06087	
439	245	246	615	617	Grade C4000	0.3	0.0611	
440	659	646	648	660	Grade C4000	0.3	0.06182	
441	583	277	278	584	Grade C4000	0.3	0.06108	
442	295	296	618	616	Grade C4000	0.3	0.06127	
443	284	285	596	594	Grade C4000	0.3	0.06086	
444	577	578	622	618	Grade C4000	0.3	0.06167	
445	614	294	295	616	Grade C4000	0.3	0.06115	
446	665	625	623	663	Grade C4000	0.3	0.06118	
447	650	608	610	652	Grade C4000	0.3	0.06129	
448	608	606	290	291	Grade C4000	0.3	0.06101	
449	580	626	624	579	Grade C4000	0.3	0.06171	
450	623	625	240	241	Grade C4000	0.3	0.06112	
451	582	276	277	583	Grade C4000	0.3	0.06118	
452	497	496	585	587	Grade C4000	0.3	0.06207	
453	254	599	601	253	Grade C4000	0.3	0.06077	
454	255	256	595	597	Grade C4000	0.3	0.06093	
455	619	660	661	620	Grade C4000	0.3	0.06147	
456	607	649	651	609	Grade C4000	0.3	0.06117	
457	252	603	605	251	Grade C4000	0.3	0.06087	
458	585	496	495	582	Grade C4000	0.3	0.06189	
459	586	630	629	584	Grade C4000	0.3	0.06122	
460	647	645	634	635	Grade C4000	0.3	0.0629	
461	590	591	634	633	Grade C4000	0.3	0.06091	
462	593	589	587	631	Grade C4000	0.3	0.06134	
463	283	592	591	282	Grade C4000	0.3	0.06088	
464	634	591	592	635	Grade C4000	0.3	0.06102	
465	619	244	245	617	Grade C4000	0.3	0.0611	
466	620	621	242	243	Grade C4000	0.3	0.06096	
467	256	257	593	595	Grade C4000	0.3	0.06101	
468	602	600	287	288	Grade C4000	0.3	0.06093	
469	283	284	594	592	Grade C4000	0.3	0.06088	
470	248	249	609	611	Grade C4000	0.3	0.06106	
471	243	244	619	620	Grade C4000	0.3	0.06097	
472	250	607	609	249	Grade C4000	0.3	0.06094	
473	252	253	601	603	Grade C4000	0.3	0.0608	
474	240	625	627	239	Grade C4000	0.3	0.06118	
475	613	611	653	655	Grade C4000	0.3	0.06125	
476	627	664	624	626	Grade C4000	0.3	0.06144	
477	583	628	585	582	Grade C4000	0.3	0.06142	
478	495	4	276	582	Grade C4000	0.3	0.06145	
479	238	626	580	5	Grade C4000	0.3	0.06145	
480	629	637	631	628	Grade C4000	0.3	0.06165	
481	663	654	656	665	Grade C4000	0.3	0.06159	
482	597	595	637	639	Grade C4000	0.3	0.06108	
483	630	586	588	632	Grade C4000	0.3	0.06119	
484	655	653	640	642	Grade C4000	0.3	0.06231	
485	636	638	651	649	Grade C4000	0.3	0.06257	
486	625	665	664	627	Grade C4000	0.3	0.06132	
487	648	650	661	660	Grade C4000	0.3	0.06191	
488	621	620	661	662	Grade C4000	0.3	0.06139	
489	579	624	622	578	Grade C4000	0.3	0.06181	
490	293	612	610	292	Grade C4000	0.3	0.06115	
491	652	654	663	662	Grade C4000	0.3	0.06179	
492	601	599	641	643	Grade C4000	0.3	0.06127	
493	498	589	258	3	Grade C4000	0.3	0.06144	
494	614	616	658	656	Grade C4000	0.3	0.06128	
495	655	657	615	613	Grade C4000	0.3	0.06131	
496	279	280	588	586	Grade C4000	0.3	0.06096	
497	633	632	588	590	Grade C4000	0.3	0.06105	
498	584	629	628	583	Grade C4000	0.3	0.06123	
499	617	615	657	659	Grade C4000	0.3	0.06138	
500	651	638	640	653	Grade C4000	0.3	0.06216	
501	585	628	631	587	Grade C4000	0.3	0.06167	
502	645	603	601	643	Grade C4000	0.3	0.06106	
503	606	648	646	604	Grade C4000	0.3	0.0614	
504	622	658	616	618	Grade C4000	0.3	0.06144	
505	637	629	630	639	Grade C4000	0.3	0.06196	
506	602	604	646	644	Grade C4000	0.3	0.06132	
507	657	655	642	644	Grade C4000	0.3	0.06241	

PROJECT TITLE :

	Company				Client			
	Author				File Name			
508	661	650	652	662	Grade C4000	0.3	0.06194	
509	599	597	639	641	Grade C4000	0.3	0.06121	
510	609	651	653	611	Grade C4000	0.3	0.06131	
511	600	642	640	598	Grade C4000	0.3	0.06119	
512	633	643	641	632	Grade C4000	0.3	0.06277	
513	602	644	642	600	Grade C4000	0.3	0.0612	
514	605	603	645	647	Grade C4000	0.3	0.06106	
515	657	644	646	659	Grade C4000	0.3	0.06196	
516	606	608	650	648	Grade C4000	0.3	0.06137	
517	630	632	641	639	Grade C4000	0.3	0.06237	
518	596	638	636	594	Grade C4000	0.3	0.06122	
519	619	617	659	660	Grade C4000	0.3	0.06143	
520	624	664	658	622	Grade C4000	0.3	0.06155	
521	610	612	654	652	Grade C4000	0.3	0.06128	
522	645	643	633	634	Grade C4000	0.3	0.06319	
523	607	605	647	649	Grade C4000	0.3	0.0612	
524	592	594	636	635	Grade C4000	0.3	0.06119	
525	621	662	663	623	Grade C4000	0.3	0.06124	
526	658	664	665	656	Grade C4000	0.3	0.06151	
527	698	696	301	300	Grade C4000	0.3	0.05605	
528	167	709	708	166	Grade C4000	0.3	0.05604	
529	714	713	698	700	Grade C4000	0.3	0.05613	
530	684	692	695	683	Grade C4000	0.3	0.05752	
531	697	682	683	695	Grade C4000	0.3	0.05822	
532	303	693	692	304	Grade C4000	0.3	0.05572	
533	701	700	299	298	Grade C4000	0.3	0.05596	
534	577	578	704	701	Grade C4000	0.3	0.05722	
535	577	701	298	6	Grade C4000	0.3	0.05649	
536	714	704	706	716	Grade C4000	0.3	0.05651	
537	697	712	702	699	Grade C4000	0.3	0.05626	
538	699	702	171	172	Grade C4000	0.3	0.05605	
539	694	693	303	302	Grade C4000	0.3	0.0555	
540	697	699	681	682	Grade C4000	0.3	0.05815	
541	580	708	706	579	Grade C4000	0.3	0.05744	
542	713	714	716	717	Grade C4000	0.3	0.05596	
543	705	169	170	703	Grade C4000	0.3	0.05562	
544	166	708	580	5	Grade C4000	0.3	0.0566	
545	703	702	712	718	Grade C4000	0.3	0.05584	
546	681	699	172	8	Grade C4000	0.3	0.05688	
547	713	717	715	719	Grade C4000	0.3	0.05553	
548	168	707	709	167	Grade C4000	0.3	0.0558	
549	694	302	301	696	Grade C4000	0.3	0.05591	
550	169	705	707	168	Grade C4000	0.3	0.05555	
551	696	698	713	719	Grade C4000	0.3	0.05576	
552	697	695	710	712	Grade C4000	0.3	0.05644	
553	695	692	693	710	Grade C4000	0.3	0.05641	
554	300	299	700	698	Grade C4000	0.3	0.05583	
555	705	703	718	715	Grade C4000	0.3	0.05556	
556	684	7	304	692	Grade C4000	0.3	0.05651	
557	171	702	703	170	Grade C4000	0.3	0.05591	
558	579	706	704	578	Grade C4000	0.3	0.05758	
559	707	717	716	709	Grade C4000	0.3	0.05592	
560	704	714	700	701	Grade C4000	0.3	0.05645	
561	705	715	717	707	Grade C4000	0.3	0.05559	
562	711	694	696	719	Grade C4000	0.3	0.0556	
563	694	711	710	693	Grade C4000	0.3	0.05581	
564	715	718	711	719	Grade C4000	0.3	0.05546	
565	709	716	706	708	Grade C4000	0.3	0.05643	
566	712	710	711	718	Grade C4000	0.3	0.05582	
567	839	827	828	841	Grade C4000	0.3	0.06246	
568	796	313	312	798	Grade C4000	0.3	0.06081	
569	113	819	818	112	Grade C4000	0.3	0.0613	
570	788	317	316	790	Grade C4000	0.3	0.06096	
571	806	804	309	308	Grade C4000	0.3	0.06109	
572	797	799	124	125	Grade C4000	0.3	0.06088	
573	116	813	815	115	Grade C4000	0.3	0.06099	
574	782	780	322	321	Grade C4000	0.3	0.06099	
575	776	324	323	778	Grade C4000	0.3	0.061	
576	794	314	313	796	Grade C4000	0.3	0.06077	
577	128	129	789	791	Grade C4000	0.3	0.06085	
578	787	785	823	829	Grade C4000	0.3	0.06105	
579	781	785	131	132	Grade C4000	0.3	0.0612	
580	779	781	489	490	Grade C4000	0.3	0.06178	
581	310	802	800	311	Grade C4000	0.3	0.06102	
582	848	846	804	806	Grade C4000	0.3	0.06124	
583	306	7	684	810	Grade C4000	0.3	0.06143	
584	121	805	807	120	Grade C4000	0.3	0.06097	
585	315	792	790	316	Grade C4000	0.3	0.06091	
586	121	122	803	805	Grade C4000	0.3	0.06098	

PROJECT TITLE :

	Company				Client			
	Author				File Name			
587	832	830	788	790	Grade C4000	0.3	0.0612	
588	320	783	782	321	Grade C4000	0.3	0.06096	
589	119	120	807	809	Grade C4000	0.3	0.06101	
590	851	838	840	852	Grade C4000	0.3	0.0619	
591	775	325	324	776	Grade C4000	0.3	0.06108	
592	307	306	810	808	Grade C4000	0.3	0.06129	
593	318	317	788	786	Grade C4000	0.3	0.06087	
594	684	683	814	810	Grade C4000	0.3	0.06164	
595	806	308	307	808	Grade C4000	0.3	0.06116	
596	857	817	815	855	Grade C4000	0.3	0.06131	
597	802	804	846	844	Grade C4000	0.3	0.06134	
598	800	798	312	311	Grade C4000	0.3	0.06097	
599	681	818	816	682	Grade C4000	0.3	0.06171	
600	815	817	114	115	Grade C4000	0.3	0.06113	
601	774	326	325	775	Grade C4000	0.3	0.06118	
602	490	491	777	779	Grade C4000	0.3	0.06207	
603	128	791	793	127	Grade C4000	0.3	0.0609	
604	129	130	787	789	Grade C4000	0.3	0.06093	
605	811	852	853	812	Grade C4000	0.3	0.0616	
606	799	841	843	801	Grade C4000	0.3	0.06137	
607	126	795	797	125	Grade C4000	0.3	0.06084	
608	777	491	492	774	Grade C4000	0.3	0.06189	
609	778	822	821	776	Grade C4000	0.3	0.06122	
610	839	837	826	827	Grade C4000	0.3	0.06255	
611	782	783	826	825	Grade C4000	0.3	0.06117	
612	785	781	779	823	Grade C4000	0.3	0.06134	
613	319	784	783	320	Grade C4000	0.3	0.0609	
614	826	783	784	827	Grade C4000	0.3	0.0612	
615	811	118	119	809	Grade C4000	0.3	0.061	
616	812	813	116	117	Grade C4000	0.3	0.06096	
617	130	131	785	787	Grade C4000	0.3	0.06101	
618	794	792	315	314	Grade C4000	0.3	0.06084	
619	319	318	786	784	Grade C4000	0.3	0.06086	
620	122	123	801	803	Grade C4000	0.3	0.06104	
621	117	118	811	812	Grade C4000	0.3	0.06094	
622	124	799	801	123	Grade C4000	0.3	0.06101	
623	126	127	793	795	Grade C4000	0.3	0.06093	
624	114	817	819	113	Grade C4000	0.3	0.06121	
625	805	803	845	847	Grade C4000	0.3	0.06131	
626	842	800	802	844	Grade C4000	0.3	0.06137	
627	819	856	816	818	Grade C4000	0.3	0.06147	
628	775	820	777	774	Grade C4000	0.3	0.06142	
629	492	2	326	774	Grade C4000	0.3	0.06145	
630	112	818	681	8	Grade C4000	0.3	0.06145	
631	821	829	823	820	Grade C4000	0.3	0.06165	
632	855	846	848	857	Grade C4000	0.3	0.06151	
633	789	787	829	831	Grade C4000	0.3	0.06108	
634	822	778	780	824	Grade C4000	0.3	0.06119	
635	847	845	832	834	Grade C4000	0.3	0.06253	
636	828	830	843	841	Grade C4000	0.3	0.06213	
637	817	857	856	819	Grade C4000	0.3	0.06133	
638	840	842	853	852	Grade C4000	0.3	0.06174	
639	813	854	855	815	Grade C4000	0.3	0.06147	
640	682	816	814	683	Grade C4000	0.3	0.06178	
641	309	804	802	310	Grade C4000	0.3	0.06103	
642	793	791	833	835	Grade C4000	0.3	0.06127	
643	489	781	132	1	Grade C4000	0.3	0.06144	
644	806	808	850	848	Grade C4000	0.3	0.06129	
645	847	849	807	805	Grade C4000	0.3	0.06132	
646	323	322	780	778	Grade C4000	0.3	0.06096	
647	825	824	780	782	Grade C4000	0.3	0.06116	
648	776	821	820	775	Grade C4000	0.3	0.06123	
649	809	807	849	851	Grade C4000	0.3	0.06135	
650	843	830	832	845	Grade C4000	0.3	0.06237	
651	777	820	823	779	Grade C4000	0.3	0.06167	
652	837	795	793	835	Grade C4000	0.3	0.06129	
653	798	840	838	796	Grade C4000	0.3	0.06149	
654	814	850	808	810	Grade C4000	0.3	0.06144	
655	829	821	822	831	Grade C4000	0.3	0.06196	
656	794	796	838	836	Grade C4000	0.3	0.06136	
657	849	847	834	836	Grade C4000	0.3	0.06246	
658	853	854	813	812	Grade C4000	0.3	0.06163	
659	844	854	853	842	Grade C4000	0.3	0.06171	
660	791	789	831	833	Grade C4000	0.3	0.06121	
661	801	843	845	803	Grade C4000	0.3	0.06131	
662	792	834	832	790	Grade C4000	0.3	0.06111	
663	825	835	833	824	Grade C4000	0.3	0.06243	
664	794	836	834	792	Grade C4000	0.3	0.06126	
665	797	795	837	839	Grade C4000	0.3	0.06129	

PROJECT TITLE :

	Company		Client	
	Author		File Name	

666	849	836	838	851	Grade C4000	0.3	0.06222
667	798	800	842	840	Grade C4000	0.3	0.06146
668	822	824	833	831	Grade C4000	0.3	0.06237
669	788	830	828	786	Grade C4000	0.3	0.0614
670	811	809	851	852	Grade C4000	0.3	0.06155
671	816	856	850	814	Grade C4000	0.3	0.06154
672	837	835	825	826	Grade C4000	0.3	0.06241
673	799	797	839	841	Grade C4000	0.3	0.06134
674	784	786	828	827	Grade C4000	0.3	0.06137
675	855	854	844	846	Grade C4000	0.3	0.06172
676	850	856	857	848	Grade C4000	0.3	0.06147

*** LOAD DATA

; Self Weight, Nodal Load, Specified Displacement, Beam Load, Floor Load, Finishing Material Load,
System Temperature, Nodal Temperature, Element Temperature, Beam Section Temperature,
Wind Load, Static Seismic Load, Time History Analysis Data

[LOAD CASE : PP]

** SELF WEIGHT DATA

; X=0, Y=0, Z=-1

[LOAD CASE : CM]

[LOAD CASE : CV]

[LOAD CASE : EHT]

[LOAD CASE : EHA]

[LOAD CASE : EVA]

*** RESPONSE SPECTRUM FUNCTION DATA

NAME	FUNCTION TYPE	SCALE	GRAVITY DATA
IBC2012(A~ Normalized Acc.		1	9.806 0:0.1 0.06:0.161364 0.12:0.222727 0.146667:0.25 0.18:0.25

*** RESPONSE SPECTRUM LOAD CASE DATA

NAME	FUNCTION NAME	DIR.	ANGLE	SCALE	PERIOD FACTOR	ACCIDENTAL ECCENTRICITY
RX IBC2012(ASCE7--		X-Y	0	1	1	-
RY IBC2012(ASCE7--		X-Y	90	1	1	-

*** LOAD COMBINATION DATA

** GENERAL

NO	NAME	TYPE	ACTIVE	DESCRIPTION
1	gLCB1	Add	ACTIVE	1.4D + 1.4FP
2	gLCB2	Add	ACTIVE	1.2(D+FP) + 1.6(L+(EP))
3	gLCB3	Add	ACTIVE	1.2D + 1.0(1.0)RX + 1.0L
4	gLCB4	Add	ACTIVE	1.2D + 1.0(1.0)RY + 1.0L
5	gLCB5	Add	ACTIVE	1.2D - 1.0(1.0)RX + 1.0L
6	gLCB6	Add	ACTIVE	1.2D - 1.0(1.0)RY + 1.0L
7	gLCB7	Add	ACTIVE	0.9D + 1.6(EP)
8	gLCB8	Add	ACTIVE	0.9D + 1.0(1.0)RX + 1.6(EP)
9	gLCB9	Add	ACTIVE	0.9D + 1.0(1.0)RY + 1.6(EP)
10	gLCB10	Add	ACTIVE	0.9D - 1.0(1.0)RX + 1.6(EP)
11	gLCB11	Add	ACTIVE	0.9D - 1.0(1.0)RY + 1.6(EP)
12	gLCB12	Add	ACTIVE	(D+FP)
13	gLCB13	Add	ACTIVE	(D+FP) + (EP) + (L)
14	gLCB14	Add	ACTIVE	(D+FP) + (EP) + 0.75(L)
15	gLCB15	Add	ACTIVE	(D+FP) + (EP) + 0.7(1.0)RX
16	gLCB16	Add	ACTIVE	(D+FP) + (EP) + 0.7(1.0)RY
17	gLCB17	Add	ACTIVE	(D+FP) + (EP) - 0.7(1.0)RX
18	gLCB18	Add	ACTIVE	(D+FP) + (EP) - 0.7(1.0)RY
19	gLCB19	Add	ACTIVE	(D+FP) + (EP) + 0.75L + 0.75(0.7(1.0)RX)
20	gLCB20	Add	ACTIVE	(D+FP) + (EP) + 0.75L + 0.75(0.7(1.0)RY)
21	gLCB21	Add	ACTIVE	(D+FP) + (EP) + 0.75L - 0.75(0.7(1.0)RX)

PROJECT TITLE :

	Company		Client	
	Author		File Name	

22	gLCB22	Add	ACTIVE	(D+FP) + (EP) + 0.75L - 0.75(0.7(1.0)RY)
23	gLCB23	Add	ACTIVE	0.6D + (EP)
24	gLCB24	Add	ACTIVE	0.6D + 0.7(1.0)RX + (EP)
25	gLCB25	Add	ACTIVE	0.6D + 0.7(1.0)RY + (EP)
26	gLCB26	Add	ACTIVE	0.6D - 0.7(1.0)RX + (EP)
27	gLCB27	Add	ACTIVE	0.6D - 0.7(1.0)RY + (EP)
28	RC ENV_STR	Envelope	ACTIVE	Concrete Strength Envelope
29	RC ENV_SER	Envelope	ACTIVE	Concrete Serviceability Envelope

** CONCRETE DESIGN

NO	NAME	TYPE	ACTIVE	DESCRIPTION
1	cLCB1	Add	STRENGTH	1.4D + 1.4FP
2	cLCB2	Add	STRENGTH	1.2(D+FP) + 1.6(L+(EP))
3	cLCB3	Add	STRENGTH	1.2D + 1.0(1.0)RX + 1.0L
4	cLCB4	Add	STRENGTH	1.2D + 1.0(1.0)RY + 1.0L
5	cLCB5	Add	STRENGTH	1.2D - 1.0(1.0)RX + 1.0L
6	cLCB6	Add	STRENGTH	1.2D - 1.0(1.0)RY + 1.0L
7	cLCB7	Add	STRENGTH	0.9D + 1.6(EP)
8	cLCB8	Add	STRENGTH	0.9D + 1.0(1.0)RX + 1.6(EP)
9	cLCB9	Add	STRENGTH	0.9D + 1.0(1.0)RY + 1.6(EP)
10	cLCB10	Add	STRENGTH	0.9D - 1.0(1.0)RX + 1.6(EP)
11	cLCB11	Add	STRENGTH	0.9D - 1.0(1.0)RY + 1.6(EP)
12	cLCB12	Add	SERVICE	SERV : (D+FP)
13	cLCB13	Add	SERVICE	SERV : (D+FP) + (EP) + (L)
14	cLCB14	Add	SERVICE	SERV : (D+FP) + (EP) + 0.75(L)
15	cLCB15	Add	SERVICE	SERV : (D+FP) + (EP) + 0.7(1.0)RX
16	cLCB16	Add	SERVICE	SERV : (D+FP) + (EP) + 0.7(1.0)RY
17	cLCB17	Add	SERVICE	SERV : (D+FP) + (EP) - 0.7(1.0)RX
18	cLCB18	Add	SERVICE	SERV : (D+FP) + (EP) - 0.7(1.0)RY
19	cLCB19	Add	SERVICE	SERV : (D+FP) + (EP) + 0.75L + 0.75(0.7(1.0)RX)
20	cLCB20	Add	SERVICE	SERV : (D+FP) + (EP) + 0.75L + 0.75(0.7(1.0)RY)
21	cLCB21	Add	SERVICE	SERV : (D+FP) + (EP) + 0.75L - 0.75(0.7(1.0)RX)
22	cLCB22	Add	SERVICE	SERV : (D+FP) + (EP) + 0.75L - 0.75(0.7(1.0)RY)
23	cLCB23	Add	SERVICE	SERV : 0.6D + (EP)
24	cLCB24	Add	SERVICE	SERV : 0.6D + 0.7(1.0)RX + (EP)
25	cLCB25	Add	SERVICE	SERV : 0.6D + 0.7(1.0)RY + (EP)
26	cLCB26	Add	SERVICE	SERV : 0.6D - 0.7(1.0)RX + (EP)
27	cLCB27	Add	SERVICE	SERV : 0.6D - 0.7(1.0)RY + (EP)