

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 4)

File: C:\IE REGIDOR\MOD4.rcb

Engineer: Name

9:14:12 a. m. 27/06/2025

P-Delta Analysis- Column End Forces

Units: ton, ton-m

Column	Stry	Load	BOTTOM						TOP					
			Axial	Shear2	Shear3	Torque	Mom-2	Mom-3	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3
I-16	1	D0	7.0	0.6	0.1	0.0	0.3	0.8	7.0	0.6	0.1	0.0	0.1	-1.3
		DL	6.0	0.6	0.3	0.0	0.7	0.7	6.0	0.6	0.3	0.0	-0.3	-1.2
		RFL	2.4	0.3	0.1	0.0	0.3	0.3	2.4	0.3	0.1	0.0	-0.1	-0.5
		EQX	-1.1	-2.9	0.4	0.0	0.8	-5.0	-1.1	-2.9	0.4	0.0	-0.5	3.9
		EQY	-1.6	-0.1	-3.9	0.0	-7.4	-0.1	-1.6	-0.1	-3.9	0.0	4.6	0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.1
		WLY	-0.2	0.0	-0.5	0.0	-1.0	0.0	-0.2	0.0	-0.5	0.0	0.6	0.0
F-16	1	D0	6.1	0.6	0.1	0.0	0.4	0.7	6.1	0.6	0.1	0.0	-0.1	-1.2
		DL	4.1	0.4	0.1	0.0	0.5	0.5	4.1	0.4	0.1	0.0	0.2	-0.9
		RFL	1.7	0.2	0.0	0.0	0.2	0.2	1.7	0.2	0.0	0.0	0.1	-0.4
		EQX	-1.3	-2.8	0.4	0.0	0.8	-5.0	-1.3	-2.8	0.4	0.0	-0.5	3.8
		EQY	1.6	0.1	-3.9	0.0	-7.4	0.1	1.6	0.1	-3.9	0.0	4.6	-0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.1
		WLY	0.2	0.0	-0.5	0.0	-1.0	0.0	0.2	0.0	-0.5	0.0	0.6	0.0
I-15	1	D0	12.0	-0.1	-1.2	0.0	-1.2	-0.1	12.0	-0.1	-1.2	0.0	2.7	0.2
		DL	14.0	-0.1	-0.5	0.0	-0.2	-0.1	14.0	-0.1	-0.5	0.0	1.3	0.2
		RFL	5.6	0.0	-0.2	0.0	-0.1	-0.1	5.6	0.0	-0.2	0.0	0.5	0.1
		EQX	0.4	-3.7	0.2	0.0	0.4	-6.0	0.4	-3.7	0.2	0.0	-0.2	5.5
		EQY	-1.5	-0.1	-3.6	0.0	-6.8	-0.1	-1.5	-0.1	-3.6	0.0	4.3	0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.2
		WLY	-0.2	0.0	-0.5	0.0	-0.9	0.0	-0.2	0.0	-0.5	0.0	0.6	0.0
F-15	1	D0	10.7	-0.1	1.1	0.0	1.5	-0.1	10.7	-0.1	1.1	0.0	-1.9	0.2
		DL	9.8	-0.1	0.2	0.0	0.5	-0.1	9.8	-0.1	0.2	0.0	0.0	0.2
		RFL	3.9	0.0	0.1	0.0	0.2	0.0	3.9	0.0	0.1	0.0	0.0	0.1
		EQX	0.3	-3.6	0.2	0.0	0.4	-5.9	0.3	-3.6	0.2	0.0	-0.2	5.4
		EQY	1.5	0.1	-3.6	0.0	-6.8	0.1	1.5	0.1	-3.6	0.0	4.3	-0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.2
		WLY	0.2	0.0	-0.5	0.0	-0.9	0.0	0.2	0.0	-0.5	0.0	0.6	0.0
I-14	1	D0	11.0	0.0	-1.0	0.0	-0.9	0.0	11.0	0.0	-1.0	0.0	2.1	0.0
		DL	12.9	0.0	-0.1	0.0	0.2	0.0	12.9	0.0	-0.1	0.0	0.6	0.0
		RFL	5.2	0.0	0.0	0.0	0.1	0.0	5.2	0.0	0.0	0.0	0.2	0.0
		EQX	0.0	-3.5	0.0	0.0	0.0	-5.8	0.0	-3.5	0.0	0.0	0.0	5.1
		EQY	-1.4	-0.1	-3.2	0.0	-6.2	-0.1	-1.4	-0.1	-3.2	0.0	3.9	0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.2
		WLY	-0.2	0.0	-0.4	0.0	-0.8	0.0	-0.2	0.0	-0.4	0.0	0.5	0.0
F-14	1	D0	9.7	0.0	0.9	0.0	1.2	0.0	9.7	0.0	0.9	0.0	-1.5	0.0
		DL	9.0	0.0	-0.1	0.0	0.3	0.0	9.0	0.0	-0.1	0.0	0.5	0.0
		RFL	3.6	0.0	0.0	0.0	0.1	0.0	3.6	0.0	0.0	0.0	0.2	0.0
		EQX	0.0	-3.4	0.0	0.0	0.0	-5.7	0.0	-3.4	0.0	0.0	0.0	5.1
		EQY	1.4	0.1	-3.2	0.0	-6.2	0.1	1.4	0.1	-3.2	0.0	3.9	-0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.2
		WLY	0.2	0.0	-0.4	0.0	-0.8	0.0	0.2	0.0	-0.4	0.0	0.5	0.0
I-11	1	D0	12.0	0.1	-1.2	0.0	-1.2	0.1	12.0	0.1	-1.2	0.0	2.7	-0.2
		DL	14.0	0.1	-0.5	0.0	-0.2	0.1	14.0	0.1	-0.5	0.0	1.3	-0.2
		RFL	5.6	0.0	-0.2	0.0	-0.1	0.1	5.6	0.0	-0.2	0.0	0.5	-0.1
		EQX	-0.4	-3.7	-0.2	0.0	-0.4	-6.0	-0.4	-3.7	-0.2	0.0	0.2	5.5
		EQY	-1.5	-0.1	-3.6	0.0	-6.8	-0.1	-1.5	-0.1	-3.6	0.0	4.3	0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.2
		WLY	-0.2	0.0	-0.5	0.0	-0.9	0.0	-0.2	0.0	-0.5	0.0	0.6	0.0
F-11	1	D0	10.7	0.1	1.1	0.0	1.5	0.1	10.7	0.1	1.1	0.0	-1.9	-0.2
		DL	9.8	0.1	0.2	0.0	0.5	0.1	9.8	0.1	0.2	0.0	0.0	-0.2
		RFL	3.9	0.0	0.1	0.0	0.2	0.0	3.9	0.0	0.1	0.0	0.0	-0.1
		EQX	-0.3	-3.6	-0.2	0.0	-0.4	-5.9	-0.3	-3.6	-0.2	0.0	0.2	5.4
		EQY	1.5	0.1	-3.6	0.0	-6.8	0.1	1.5	0.1	-3.6	0.0	4.3	-0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.2
		WLY	0.2	0.0	-0.5	0.0	-0.9	0.0	0.2	0.0	-0.5	0.0	0.6	0.0
I-7	1	D0	7.0	-0.6	0.1	0.0	0.3	-0.8	7.0	-0.6	0.1	0.0	0.1	1.3
		DL	6.0	-0.6	0.3	0.0	0.7	-0.7	6.0	-0.6	0.3	0.0	-0.3	1.2
		RFL	2.4	-0.3	0.1	0.0	0.3	-0.3	2.4	-0.3	0.1	0.0	-0.1	0.5
		EQX	1.1	-2.9	-0.4	0.0	-0.8	-5.0	1.1	-2.9	-0.4	0.0	0.5	3.9
		EQY	-1.6	-0.1	-3.9	0.0	-7.4	-0.1	-1.6	-0.1	-3.9	0.0	4.6	0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.1
		WLY	-0.2	0.0	-0.5	0.0	-1.0	0.0	-0.2	0.0	-0.5	0.0	0.6	0.0

Engineer: Name
9:14:12 a.m. 27/06/2025

Column	Stry	Load	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3
F-7	1	D0	6.1	-0.6	0.1	0.0	0.4	-0.7	6.1	-0.6	0.1	0.0	-0.1	1.2
		DL	4.1	-0.4	0.1	0.0	0.5	-0.5	4.1	-0.4	0.1	0.0	0.2	0.9
		RFL	1.7	-0.2	0.0	0.0	0.2	-0.2	1.7	-0.2	0.0	0.0	0.1	0.4
		EQX	1.3	-2.8	-0.4	0.0	-0.8	-5.0	1.3	-2.8	-0.4	0.0	0.5	3.8
		EQY	1.6	0.1	-3.9	0.0	-7.4	0.1	1.6	0.1	-3.9	0.0	4.6	-0.1
		WLX	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0	0.0	0.0	0.1
		WLY	0.2	0.0	-0.5	0.0	-1.0	0.0	0.2	0.0	-0.5	0.0	0.6	0.0

Units: ton, ton-m

			END I						X/L = 0.0		M2(+)max		END J						X/L = 1.0	
Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3				
7 (A'-F)	2	D0	0.0	0.0	1.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.1	-1.4	0.0			
		DL	0.0	0.0	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	-1.1	0.0			
		RFL	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	-0.4	0.0			
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
7 (F-I)	2	D0	0.0	0.0	-1.4	0.0	-1.3	0.0	1.1	.45	0.0	0.0	1.8	0.0	-2.8	0.0	0.0			
		DL	0.0	0.0	-1.6	0.0	-1.2	0.0	1.4	.4	0.0	0.0	2.2	0.0	-3.5	0.0	0.0			
		RFL	0.0	0.0	-0.6	0.0	-0.5	0.0	0.5	.4	0.0	0.0	0.9	0.0	-1.4	0.0	0.0			
		EQX	0.0	0.0	-0.2	0.0	-0.7	0.0	0.7	1.0	0.0	0.0	-0.2	0.0	0.7	0.0	0.0			
		EQY	0.0	0.0	-1.6	0.0	-6.2	0.0	6.2	1.0	0.0	0.0	-1.6	0.0	6.2	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLY	0.0	0.0	-0.2	0.0	-0.8	0.0	0.8	1.0	0.0	0.0	-0.2	0.0	0.8	0.0	0.0			
F (7'-1')	2	D0	0.0	0.0	-1.7	-0.1	-1.2	0.0	1.9	1.0	0.0	0.0	-0.6	-0.1	1.9	0.0	0.0			
		DL	0.0	0.0	-1.2	-0.1	-0.8	0.0	1.4	1.0	0.0	0.0	-0.4	-0.1	1.4	0.0	0.0			
		RFL	0.0	0.0	-0.5	0.0	-0.3	0.0	0.5	1.0	0.0	0.0	-0.2	0.0	0.5	0.0	0.0			
		EQX	0.0	0.0	-1.1	0.0	-5.1	0.0	0.0	0.0	0.0	0.0	-1.1	0.0	-2.1	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
F (1'-2')	2	D0	0.0	0.0	-0.3	0.0	1.9	0.0	2.0	.3	0.0	0.0	0.9	0.0	1.1	0.0	0.0			
		DL	0.0	0.0	-0.2	0.0	1.4	0.0	1.4	.25	0.0	0.0	0.6	0.0	0.8	0.0	0.0			
		RFL	0.0	0.0	-0.1	0.0	0.5	0.0	0.6	.25	0.0	0.0	0.2	0.0	0.3	0.0	0.0			
		EQX	0.0	0.0	-1.1	0.0	-2.1	0.0	1.0	1.0	0.0	0.0	-1.1	0.0	1.0	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
F (2'-11)	2	D0	0.0	0.0	1.1	0.0	1.1	0.0	1.1	0.0	0.0	0.0	2.2	0.0	-3.3	0.0	0.0			
		DL	0.0	0.0	0.8	0.0	0.8	0.0	0.8	0.0	0.0	0.0	1.6	0.0	-2.3	0.0	0.0			
		RFL	0.0	0.0	0.3	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.6	0.0	-0.9	0.0	0.0			
		EQX	0.0	0.0	-1.1	0.0	1.0	0.0	3.9	1.0	0.0	0.0	-1.1	0.0	3.9	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
F (11-3')	2	D0	0.0	0.0	-2.0	0.0	-3.1	0.0	0.8	1.0	0.0	0.0	-0.9	0.0	0.8	0.0	0.0			
		DL	0.0	0.0	-1.4	0.0	-2.2	0.0	0.5	1.0	0.0	0.0	-0.6	0.0	0.5	0.0	0.0			
		RFL	0.0	0.0	-0.6	0.0	-0.9	0.0	0.2	1.0	0.0	0.0	-0.2	0.0	0.2	0.0	0.0			
		EQX	0.0	0.0	-0.8	0.0	-3.0	0.0	0.0	0.0	0.0	0.0	-0.8	0.0	-1.0	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
F (3'-4')	2	D0	0.0	0.0	-0.7	0.0	0.7	0.0	1.3	.55	0.0	0.0	0.5	0.0	0.9	0.0	0.0			
		DL	0.0	0.0	-0.5	0.0	0.5	0.0	0.9	.55	0.0	0.0	0.4	0.0	0.7	0.0	0.0			
		RFL	0.0	0.0	-0.2	0.0	0.2	0.0	0.4	.55	0.0	0.0	0.1	0.0	0.3	0.0	0.0			
		EQX	0.0	0.0	-0.8	0.0	-1.0	0.0	1.2	1.0	0.0	0.0	-0.8	0.0	1.2	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
F (4'-14)	2	D0	0.0	0.0	0.7	0.0	0.9	0.0	0.9	0.0	0.0	0.0	1.9	0.0	-2.6	0.0	0.0			
		DL	0.0	0.0	0.5	0.0	0.7	0.0	0.7	0.0	0.0	0.0	1.3	0.0	-1.8	0.0	0.0			
		RFL	0.0	0.0	0.2	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.5	0.0	-0.7	0.0	0.0			
		EQX	0.0	0.0	-0.8	0.0	1.2	0.0	3.3	1.0	0.0	0.0	-0.8	0.0	3.3	0.0	0.0			
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0			
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0			
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			

Engineer: Name
9:14:12 a.m. 27/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
F(14-5')	2	D0	0.0	0.0	-1.9	0.0	-2.6	0.0	0.9	1.0	0.0	0.0	-0.7	0.0	0.9	0.0
		DL	0.0	0.0	-1.3	0.0	-1.8	0.0	0.7	1.0	0.0	0.0	-0.5	0.0	0.7	0.0
		RFL	0.0	0.0	-0.5	0.0	-0.7	0.0	0.3	1.0	0.0	0.0	-0.2	0.0	0.3	0.0
		EQX	0.0	0.0	-0.8	0.0	-3.3	0.0	0.0	0.0	0.0	0.0	-0.8	0.0	-1.2	0.0
		EQY	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F(5'-6')	2	D0	0.0	0.0	-0.5	0.0	0.9	0.0	1.3	.45	0.0	0.0	0.7	0.0	0.7	0.0
		DL	0.0	0.0	-0.4	0.0	0.7	0.0	0.9	.45	0.0	0.0	0.5	0.0	0.5	0.0
		RFL	0.0	0.0	-0.1	0.0	0.3	0.0	0.4	.45	0.0	0.0	0.2	0.0	0.2	0.0
		EQX	0.0	0.0	-0.8	0.0	-1.2	0.0	1.0	1.0	0.0	0.0	-0.8	0.0	1.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F(6'-15)	2	D0	0.0	0.0	0.9	0.0	0.8	0.0	0.8	0.0	0.0	0.0	2.0	0.0	-3.1	0.0
		DL	0.0	0.0	0.6	0.0	0.5	0.0	0.5	0.0	0.0	0.0	1.4	0.0	-2.2	0.0
		RFL	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.6	0.0	-0.9	0.0
		EQX	0.0	0.0	-0.8	0.0	1.0	0.0	3.0	1.0	0.0	0.0	-0.8	0.0	3.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F(15-7')	2	D0	0.0	0.0	-2.2	0.0	-3.3	0.0	1.1	1.0	0.0	0.0	-1.1	0.0	1.1	0.0
		DL	0.0	0.0	-1.6	0.0	-2.3	0.0	0.8	1.0	0.0	0.0	-0.8	0.0	0.8	0.0
		RFL	0.0	0.0	-0.6	0.0	-0.9	0.0	0.3	1.0	0.0	0.0	-0.3	0.0	0.3	0.0
		EQX	0.0	0.0	-1.1	0.0	-3.9	0.0	0.0	0.0	0.0	0.0	-1.1	0.0	-1.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F(7'-8')	2	D0	0.0	0.0	-0.9	0.0	1.1	0.0	2.0	.7	0.0	0.0	0.3	0.0	1.9	0.0
		DL	0.0	0.0	-0.6	0.0	0.8	0.0	1.4	.75	0.0	0.0	0.2	0.0	1.4	0.0
		RFL	0.0	0.0	-0.2	0.0	0.3	0.0	0.6	.75	0.0	0.0	0.1	0.0	0.5	0.0
		EQX	0.0	0.0	-1.1	0.0	-1.0	0.0	2.1	1.0	0.0	0.0	-1.1	0.0	2.1	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F(8'-16)	2	D0	0.0	0.0	0.6	0.1	1.9	0.0	1.9	0.0	0.0	0.0	1.7	0.1	-1.2	0.0
		DL	0.0	0.0	0.4	0.1	1.4	0.0	1.4	0.0	0.0	0.0	1.2	0.1	-0.8	0.0
		RFL	0.0	0.0	0.2	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	-0.3	0.0
		EQX	0.0	0.0	-1.1	0.0	2.1	0.0	5.1	1.0	0.0	0.0	-1.1	0.0	5.1	0.0
		EQY	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.1	0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.2	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I(7-1')	2	D0	0.0	0.0	-1.8	0.1	-1.3	0.0	2.0	1.0	0.0	0.0	-0.6	0.1	2.0	0.0
		DL	0.0	0.0	-1.6	0.1	-1.2	0.0	2.1	1.0	0.0	0.0	-0.9	0.1	2.1	0.0
		RFL	0.0	0.0	-0.6	0.0	-0.5	0.0	0.8	1.0	0.0	0.0	-0.4	0.0	0.8	0.0
		EQX	0.0	0.0	-1.1	0.0	-5.2	0.0	0.0	0.0	0.0	0.0	-1.1	0.0	-2.2	0.0
		EQY	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLX	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I(1'-2')	2	D0	0.0	0.0	-0.3	0.0	2.0	0.0	2.1	.25	0.0	0.0	0.9	0.0	1.2	0.0
		DL	0.0	0.0	-0.1	0.0	2.1	0.0	2.1	.15	0.0	0.0	0.7	0.0	1.3	0.0
		RFL	0.0	0.0	0.0	0.0	0.8	0.0	0.8	.15	0.0	0.0	0.3	0.0	0.5	0.0
		EQX	0.0	0.0	-1.1	0.0	-2.2	0.0	1.0	1.0	0.0	0.0	-1.1	0.0	1.0	0.0
		EQY	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I(2'-11)	2	D0	0.0	0.0	1.2	0.0	1.2	0.0	1.2	0.0	0.0	0.0	2.4	0.0	-3.5	0.0
		DL	0.0	0.0	1.4	-0.1	1.3	0.0	1.3	0.0	0.0	0.0	2.1	-0.1	-3.4	0.0
		RFL	0.0	0.0	0.6	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.9	0.0	-1.4	0.0
		EQX	0.0	0.0	-1.1	0.0	1.0	0.0	4.0	1.0	0.0	0.0	-1.1	0.0	4.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.2	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I(11-3')	2	D0	0.0	0.0	-2.1	0.0	-3.3	0.0	0.8	1.0	0.0	0.0	-1.0	0.0	0.8	0.0
		DL	0.0	0.0	-1.9	0.0	-3.2	0.0	0.9	1.0	0.0	0.0	-1.2	0.0	0.9	0.0
		RFL	0.0	0.0	-0.8	0.0	-1.3	0.0	0.4	1.0	0.0	0.0	-0.5	0.0	0.4	0.0
		EQX	0.0	0.0	-0.8	0.0	-3.1	0.0	0.0	0.0	0.0	0.0	-0.8	0.0	-1.0	0.0
		EQY	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Engineer: Name
9:14:12 a.m. 27/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
I (3'-4')	2	D0	0.0	0.0	-0.7	0.0	0.8	0.0	1.4	.55	0.0	0.0	0.5	0.0	1.0	0.0
		DL	0.0	0.0	-0.4	0.0	0.9	0.0	1.3	.6	0.0	0.0	0.3	0.0	1.1	0.0
		RFL	0.0	0.0	-0.2	0.0	0.4	0.0	0.5	.6	0.0	0.0	0.1	0.0	0.4	0.0
		EQX	0.0	0.0	-0.8	0.0	-1.0	0.0	1.2	1.0	0.0	0.0	-0.8	0.0	1.2	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I (4'-14)	2	D0	0.0	0.0	0.8	0.0	1.0	0.0	1.0	0.0	0.0	0.0	2.0	0.0	-2.7	0.0
		DL	0.0	0.0	1.1	-0.1	1.1	0.0	1.1	0.0	0.0	0.0	1.8	-0.1	-2.6	0.0
		RFL	0.0	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.7	0.0	-1.1	0.0
		EQX	0.0	0.0	-0.8	0.0	1.2	0.0	3.3	1.0	0.0	0.0	-0.8	0.0	3.3	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I (14-5')	2	D0	0.0	0.0	-2.0	0.0	-2.7	0.0	1.0	1.0	0.0	0.0	-0.8	0.0	1.0	0.0
		DL	0.0	0.0	-1.8	0.1	-2.6	0.0	1.1	1.0	0.0	0.0	-1.1	0.1	1.1	0.0
		RFL	0.0	0.0	-0.7	0.0	-1.1	0.0	0.4	1.0	0.0	0.0	-0.4	0.0	0.4	0.0
		EQX	0.0	0.0	-0.8	0.0	-3.3	0.0	0.0	0.0	0.0	0.0	-0.8	0.0	-1.2	0.0
		EQY	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I (5'-6')	2	D0	0.0	0.0	-0.5	0.0	1.0	0.0	1.4	.45	0.0	0.0	0.7	0.0	0.8	0.0
		DL	0.0	0.0	-0.3	0.0	1.1	0.0	1.3	.4	0.0	0.0	0.4	0.0	0.9	0.0
		RFL	0.0	0.0	-0.1	0.0	0.4	0.0	0.5	.4	0.0	0.0	0.2	0.0	0.4	0.0
		EQX	0.0	0.0	-0.8	0.0	-1.2	0.0	1.0	1.0	0.0	0.0	-0.8	0.0	1.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I (6'-15)	2	D0	0.0	0.0	1.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	2.1	0.0	-3.3	0.0
		DL	0.0	0.0	1.2	0.0	0.9	0.0	0.9	0.0	0.0	0.0	1.9	0.0	-3.2	0.0
		RFL	0.0	0.0	0.5	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.8	0.0	-1.3	0.0
		EQX	0.0	0.0	-0.8	0.0	1.0	0.0	3.1	1.0	0.0	0.0	-0.8	0.0	3.1	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I (15-7')	2	D0	0.0	0.0	-2.4	0.0	-3.5	0.0	1.2	1.0	0.0	0.0	-1.2	0.0	1.2	0.0
		DL	0.0	0.0	-2.1	0.1	-3.4	0.0	1.3	1.0	0.0	0.0	-1.4	0.1	1.3	0.0
		RFL	0.0	0.0	-0.9	0.0	-1.4	0.0	0.5	1.0	0.0	0.0	-0.6	0.0	0.5	0.0
		EQX	0.0	0.0	-1.1	0.0	-4.0	0.0	0.0	0.0	0.0	0.0	-1.1	0.0	-1.0	0.0
		EQY	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I (7'-8')	2	D0	0.0	0.0	-0.9	0.0	1.2	0.0	2.1	.75	0.0	0.0	0.3	0.0	2.0	0.0
		DL	0.0	0.0	-0.7	0.0	1.3	0.0	2.1	.85	0.0	0.0	0.1	0.0	2.1	0.0
		RFL	0.0	0.0	-0.3	0.0	0.5	0.0	0.8	.85	0.0	0.0	0.0	0.0	0.8	0.0
		EQX	0.0	0.0	-1.1	0.0	-1.0	0.0	2.2	1.0	0.0	0.0	-1.1	0.0	2.2	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
I (8'-16)	2	D0	0.0	0.0	0.6	-0.1	2.0	0.0	2.0	0.0	0.0	0.0	1.8	-0.1	-1.3	0.0
		DL	0.0	0.0	0.9	-0.1	2.1	0.0	2.1	0.0	0.0	0.0	1.6	-0.1	-1.2	0.0
		RFL	0.0	0.0	0.4	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.6	0.0	-0.5	0.0
		EQX	0.0	0.0	-1.1	0.0	2.2	0.0	5.2	1.0	0.0	0.0	-1.1	0.0	5.2	0.0
		EQY	0.0	0.0	0.0	0.0	0.1	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.1	0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.2	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
D' (7-1')	2	D0	0.0	0.0	-1.1	0.0	0.1	0.0	2.1	1.0	0.0	0.0	-0.4	0.0	2.1	0.0
		DL	0.0	0.0	-1.3	0.0	0.1	0.0	2.6	1.0	0.0	0.0	-0.6	0.0	2.6	0.0
		RFL	0.0	0.0	-0.5	0.0	0.0	0.0	1.1	1.0	0.0	0.0	-0.2	0.0	1.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D' (1'-2')	2	D0	0.0	0.0	-0.1	0.0	2.0	0.0	2.1	.1	0.0	0.0	0.7	0.0	1.2	0.0
		DL	0.0	0.0	0.0	0.0	2.6	0.0	2.6	0.0	0.0	0.0	0.7	0.0	1.5	0.0
		RFL	0.0	0.0	0.0	0.0	1.0	0.0	1.0	0.0	0.0	0.0	0.3	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Engineer: Name
9:14:12 a.m. 27/06/2025

Engineer: Name
9:14:13 a.m. 27/06/2025

Engineer: Name
9:14:13 a.m. 27/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
A' (15'-7')	2	D0	0.0	0.0	-1.6	0.0	-2.3	0.0	1.0	1.0	0.0	0.0	-0.9	0.0	1.0	0.0
		DL	0.0	0.0	-1.5	0.0	-2.2	0.0	0.8	1.0	0.0	0.0	-0.8	0.0	0.8	0.0
		RFL	0.0	0.0	-0.6	0.0	-0.9	0.0	0.3	1.0	0.0	0.0	-0.3	0.0	0.3	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A' (7'-8')	2	D0	0.0	0.0	-0.7	0.0	0.9	0.0	1.8	.85	0.0	0.0	0.1	0.0	1.8	0.0
		DL	0.0	0.0	-0.6	0.0	0.8	0.0	1.6	.85	0.0	0.0	0.1	0.0	1.6	0.0
		RFL	0.0	0.0	-0.3	0.0	0.3	0.0	0.6	.85	0.0	0.0	0.0	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
A' (8'-16)	2	D0	0.0	0.0	0.3	0.0	1.8	0.0	1.8	0.0	0.0	0.0	1.0	0.0	0.1	0.0
		DL	0.0	0.0	0.2	0.0	1.6	0.0	1.6	0.0	0.0	0.0	0.9	0.0	0.1	0.0
		RFL	0.0	0.0	0.1	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.4	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I (7-11)	1	D0	0.0	0.0	-1.2	0.0	-1.6	0.0	0.8	.5	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I (11-14)	1	D0	0.0	0.0	-1.2	0.0	-1.6	0.0	0.8	.5	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I (14-15)	1	D0	0.0	0.0	-1.2	0.0	-1.6	0.0	0.8	.5	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
I (15-16)	1	D0	0.0	0.0	-1.2	0.0	-1.6	0.0	0.8	.5	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16 (F-I)	1	D0	0.0	0.0	-1.1	0.0	-1.4	0.0	0.7	.5	0.0	0.0	1.1	0.0	-1.4	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F (7-11)	1	D0	0.0	0.0	-1.2	0.0	-1.6	0.0	0.8	.5	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
F (11-14)	1	D0	0.0	0.0	-1.2	0.0	-1.6	0.0	0.8	.5	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Engineer: Name
9:14:13 a.m. 27/06/2025

Engineer: Name
9:14:13 a.m. 27/06/2025

Engineer: Name
9:14:13 a.m. 27/06/2025

Engineer: Name
9:14:13 a.m. 27/06/2025