

Engineer: Name
4:48:58 p. m. 26/06/2025

Units: ton, ton-m

BOTTOM									TOP					
Column	Stry	Load	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3
H-34	1	D0	10.3	0.8	0.3	0.0	0.2	0.9	10.3	0.8	0.3	0.0	-0.6	-1.5
		DL	9.2	1.0	0.3	0.0	0.2	1.1	9.2	1.0	0.3	0.0	-0.6	-1.9
		RFL	3.7	0.4	0.1	0.0	0.1	0.4	3.7	0.4	0.1	0.0	-0.2	-0.7
		EQX	-5.3	0.1	2.1	0.0	3.3	0.2	-5.3	0.1	2.1	0.0	-3.0	-0.2
		EQY	2.5	-2.3	-1.3	0.0	-2.1	-3.8	2.5	-2.3	-1.3	0.0	1.9	3.1
		WLX	-0.3	0.0	0.1	0.0	0.2	0.1	-0.3	0.0	0.1	0.0	-0.2	0.0
		WLY	-0.3	-0.2	0.1	0.0	0.2	-0.3	-0.3	-0.2	0.1	0.0	-0.1	0.2
J-34	1	D0	12.7	-0.5	0.5	0.0	0.5	-0.6	12.7	-0.5	0.5	0.0	-1.0	1.0
		DL	14.0	-0.6	0.6	0.0	0.6	-0.7	14.0	-0.6	0.6	0.0	-1.2	1.1
		RFL	5.6	-0.2	0.2	0.0	0.3	-0.3	5.6	-0.2	0.2	0.0	-0.5	0.4
		EQX	-3.8	0.2	1.9	0.0	3.1	0.3	-3.8	0.2	1.9	0.0	-2.8	-0.3
		EQY	0.3	-3.0	-0.4	0.0	-0.7	-4.7	0.3	-3.0	-0.4	0.0	0.6	4.4
		WLX	-0.2	0.0	0.1	0.0	0.2	0.1	-0.2	0.0	0.1	0.0	-0.1	-0.1
		WLY	-0.1	-0.2	0.0	0.0	0.0	-0.4	-0.1	-0.2	0.0	0.0	0.0	0.3
K-34	1	D0	7.6	0.1	-0.1	0.0	-0.1	0.0	7.6	0.1	-0.1	0.0	0.1	-0.1
		DL	9.9	0.1	-0.5	0.0	-0.6	0.1	9.9	0.1	-0.5	0.0	0.9	-0.2
		RFL	4.0	0.0	-0.2	0.0	-0.2	0.0	4.0	0.0	-0.2	0.0	0.4	-0.1
		EQX	-0.9	0.2	1.5	0.0	2.6	0.3	-0.9	0.2	1.5	0.0	-2.0	-0.3
		EQY	-0.5	-3.1	0.0	0.0	0.0	-4.8	-0.5	-3.1	0.0	0.0	0.0	4.7
		WLX	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.0	-0.1	-0.1
		WLY	0.0	-0.2	0.0	0.0	0.0	-0.4	0.0	-0.2	0.0	0.0	0.0	0.4
LI-34	1	D0	5.5	-0.3	0.0	0.0	-0.1	-0.3	5.5	-0.3	0.0	0.0	0.1	0.5
		DL	4.8	-0.4	-0.2	0.0	-0.2	-0.5	4.8	-0.4	-0.2	0.0	0.3	0.8
		RFL	1.9	-0.2	-0.1	0.0	-0.1	-0.2	1.9	-0.2	-0.1	0.0	0.1	0.3
		EQX	-0.9	0.2	1.6	0.0	2.7	0.2	-0.9	0.2	1.6	0.0	-2.1	-0.2
		EQY	1.8	-2.7	0.4	0.0	0.6	-4.3	1.8	-2.7	0.4	0.0	-0.5	3.8
		WLX	-0.1	0.0	0.1	0.0	0.1	0.1	-0.1	0.0	0.1	0.0	-0.1	0.0
		WLY	0.2	-0.2	0.0	0.0	0.0	-0.3	0.2	-0.2	0.0	0.0	0.0	0.3
H-33	1	D0	1.3	0.6	0.0	0.0	-0.1	0.7	1.3	0.6	0.0	0.0	0.0	-1.2
		DL	-0.7	0.5	0.0	0.0	-0.1	0.6	-0.7	0.5	0.0	0.0	0.0	-1.1
		RFL	-0.3	0.2	0.0	0.0	0.0	0.2	-0.3	0.2	0.0	0.0	0.0	-0.4
		EQX	5.4	0.1	2.1	0.0	3.3	0.2	5.4	0.1	2.1	0.0	-3.0	-0.2
		EQY	-4.3	-2.3	-1.3	0.0	-2.1	-3.8	-4.3	-2.3	-1.3	0.0	1.9	3.2
		WLX	0.3	0.0	0.1	0.0	0.2	0.0	0.3	0.0	0.1	0.0	-0.2	0.0
		WLY	0.2	-0.2	0.1	0.0	0.2	-0.3	0.2	-0.2	0.1	0.0	-0.1	0.3
J-33	1	D0	2.9	-0.6	-0.1	0.0	-0.2	-0.7	2.9	-0.6	-0.1	0.0	0.2	1.2
		DL	1.4	-0.5	-0.1	0.0	-0.2	-0.6	1.4	-0.5	-0.1	0.0	0.2	0.9
		RFL	0.6	-0.2	-0.1	0.0	-0.1	-0.2	0.6	-0.2	-0.1	0.0	0.1	0.4
		EQX	2.5	0.1	2.2	0.0	3.4	0.2	2.5	0.1	2.2	0.0	-3.2	-0.2
		EQY	0.4	-2.4	-0.5	0.0	-0.7	-3.9	0.4	-2.4	-0.5	0.0	0.7	3.3
		WLX	0.1	0.0	0.1	0.0	0.2	0.0	0.1	0.0	0.1	0.0	-0.2	0.0
		WLY	0.1	-0.2	0.0	0.0	0.1	-0.3	0.1	-0.2	0.0	0.0	0.0	0.3
J-32	1	D0	2.6	0.0	0.1	0.0	0.0	0.0	2.6	0.0	0.1	0.0	-0.2	-0.1
		DL	1.2	0.0	0.1	0.0	0.1	0.0	1.2	0.0	0.1	0.0	-0.2	-0.1
		RFL	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	-0.1	0.0
		EQX	1.3	0.1	1.7	0.0	2.8	0.2	1.3	0.1	1.7	0.0	-2.3	-0.1
		EQY	-2.1	-2.4	-0.3	0.0	-0.6	-3.8	-2.1	-2.4	-0.3	0.0	0.5	3.4
		WLX	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	-0.1	0.0
		WLY	-0.2	-0.2	0.0	0.0	0.0	-0.3	-0.2	-0.2	0.0	0.0	0.0	0.3
K-32	1	D0	7.9	0.0	0.0	0.0	0.0	0.0	7.9	0.0	0.0	0.0	-0.1	-0.1
		DL	10.3	0.2	0.3	0.0	0.3	0.1	10.3	0.2	0.3	0.0	-0.7	-0.3
		RFL	4.1	0.1	0.1	0.0	0.1	0.1	4.1	0.1	0.1	0.0	-0.3	-0.1
		EQX	0.1	0.1	2.0	0.0	3.1	0.2	0.1	0.1	2.0	0.0	-2.9	-0.2
		EQY	0.2	-2.8	0.0	0.0	0.0	-4.3	0.2	-2.8	0.0	0.0	0.0	4.2
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.0	-0.2	0.0	0.0	0.0	-0.4	0.0	-0.2	0.0	0.0	0.0	0.4
LI-32	1	D0	5.5	-0.3	0.0	0.0	0.0	-0.3	5.5	-0.3	0.0	0.0	0.0	0.5
		DL	5.7	-0.5	0.0	0.0	0.0	-0.5	5.7	-0.5	0.0	0.0	-0.1	0.9
		RFL	2.3	-0.2	0.0	0.0	0.0	-0.2	2.3	-0.2	0.0	0.0	0.0	0.3
		EQX	0.2	0.1	2.0	0.0	3.2	0.2	0.2	0.1	2.0	0.0	-2.9	-0.1
		EQY	1.7	-2.3	0.5	0.0	0.7	-3.7	1.7	-2.3	0.5	0.0	-0.7	3.3
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.1	-0.2	0.0	0.0	-0.1	-0.3	0.1	-0.2	0.0	0.0	0.0	0.3

Company: Company
Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name
4:48:58 p. m. 26/06/2025

Column	Stry	Load	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3
K-31	1	D0	5.2	0.2	-0.1	0.0	-0.1	0.2	5.2	0.2	-0.1	0.0	0.1	-0.4
		DL	4.8	0.4	-0.1	0.0	-0.2	0.4	4.8	0.4	-0.1	0.0	0.2	-0.7
		RFL	1.9	0.2	0.0	0.0	-0.1	0.2	1.9	0.2	0.0	0.0	0.1	-0.3
		EQX	-0.2	0.0	1.9	0.0	3.1	0.1	-0.2	0.0	1.9	0.0	-2.8	-0.1
		EQY	-1.9	-2.1	0.0	0.0	0.0	-3.4	-1.9	-2.1	0.0	0.0	0.0	3.1
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	-0.2	-0.2	0.0	0.0	0.0	-0.3	-0.2	-0.2	0.0	0.0	0.0	0.3
LI-31	1	D0	5.3	-0.3	0.0	0.0	-0.1	-0.3	5.3	-0.3	0.0	0.0	0.1	0.5
		DL	5.1	-0.4	0.0	0.0	-0.1	-0.5	5.1	-0.4	0.0	0.0	0.1	0.8
		RFL	2.1	-0.2	0.0	0.0	0.0	-0.2	2.1	-0.2	0.0	0.0	0.0	0.3
		EQX	-0.2	0.0	2.0	0.0	3.1	0.1	-0.2	0.0	2.0	0.0	-2.9	-0.1
		EQY	1.9	-2.1	0.5	0.0	0.7	-3.4	1.9	-2.1	0.5	0.0	-0.7	3.1
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.2	-0.2	0.0	0.0	-0.1	-0.3	0.2	-0.2	0.0	0.0	0.0	0.3
K-30	1	D0	5.1	0.2	-0.1	0.0	-0.1	0.2	5.1	0.2	-0.1	0.0	0.1	-0.4
		DL	4.9	0.4	0.0	0.0	-0.1	0.4	4.9	0.4	0.0	0.0	0.0	-0.7
		RFL	1.9	0.1	0.0	0.0	0.0	0.2	1.9	0.1	0.0	0.0	0.0	-0.3
		EQX	-0.1	0.0	2.0	0.0	3.1	0.0	-0.1	0.0	2.0	0.0	-2.9	0.0
		EQY	-1.7	-1.9	0.0	0.0	0.0	-2.9	-1.7	-1.9	0.0	0.0	0.0	2.7
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	-0.2	-0.2	0.0	0.0	0.0	-0.3	-0.2	-0.2	0.0	0.0	0.0	0.3
LI-30	1	D0	5.1	-0.3	0.0	0.0	-0.1	-0.3	5.1	-0.3	0.0	0.0	0.0	0.5
		DL	4.8	-0.4	0.0	0.0	0.0	-0.5	4.8	-0.4	0.0	0.0	0.0	0.8
		RFL	1.9	-0.2	0.0	0.0	0.0	-0.2	1.9	-0.2	0.0	0.0	0.0	0.3
		EQX	-0.1	0.0	2.0	0.0	3.2	0.0	-0.1	0.0	2.0	0.0	-3.0	0.0
		EQY	1.7	-1.9	0.5	0.0	0.7	-2.9	1.7	-1.9	0.5	0.0	-0.7	2.7
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.2	-0.2	0.0	0.0	-0.1	-0.3	0.2	-0.2	0.0	0.0	0.0	0.3
K-27	1	D0	5.0	0.2	-0.1	0.0	-0.1	0.3	5.0	0.2	-0.1	0.0	0.1	-0.4
		DL	4.6	0.4	-0.1	0.0	-0.1	0.4	4.6	0.4	-0.1	0.0	0.1	-0.7
		RFL	1.8	0.1	0.0	0.0	0.0	0.2	1.8	0.1	0.0	0.0	0.0	-0.3
		EQX	0.0	0.0	2.0	0.0	3.1	-0.1	0.0	0.0	2.0	0.0	-2.9	0.1
		EQY	-1.6	-1.8	0.0	0.0	0.0	-2.8	-1.6	-1.8	0.0	0.0	0.0	2.5
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	-0.2	-0.2	0.0	0.0	0.0	-0.4	-0.2	-0.2	0.0	0.0	0.0	0.3
LI-27	1	D0	5.0	-0.2	0.0	0.0	-0.1	-0.3	5.0	-0.2	0.0	0.0	0.1	0.4
		DL	4.6	-0.4	0.0	0.0	-0.1	-0.4	4.6	-0.4	0.0	0.0	0.1	0.7
		RFL	1.8	-0.1	0.0	0.0	0.0	-0.2	1.8	-0.1	0.0	0.0	0.0	0.3
		EQX	0.1	0.0	2.0	0.0	3.2	-0.1	0.1	0.0	2.0	0.0	-3.0	0.1
		EQY	1.6	-1.8	0.5	0.0	0.7	-2.8	1.6	-1.8	0.5	0.0	-0.7	2.5
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.2	-0.2	0.0	0.0	-0.1	-0.4	0.2	-0.2	0.0	0.0	0.0	0.3
K-26	1	D0	5.1	0.2	-0.1	0.0	-0.1	0.3	5.1	0.2	-0.1	0.0	0.1	-0.5
		DL	4.6	0.4	-0.1	0.0	-0.1	0.4	4.6	0.4	-0.1	0.0	0.1	-0.7
		RFL	1.9	0.2	0.0	0.0	0.0	0.2	1.9	0.2	0.0	0.0	0.0	-0.3
		EQX	-0.1	-0.1	2.0	0.0	3.1	-0.1	-0.1	-0.1	2.0	0.0	-2.9	0.1
		EQY	-1.5	-1.7	0.0	0.0	0.0	-2.6	-1.5	-1.7	0.0	0.0	0.0	2.4
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	-0.2	-0.3	0.0	0.0	0.0	-0.4	-0.2	-0.3	0.0	0.0	0.0	0.4
LI-26	1	D0	5.0	-0.2	0.0	0.0	-0.1	-0.2	5.0	-0.2	0.0	0.0	0.1	0.4
		DL	4.6	-0.4	0.0	0.0	-0.1	-0.4	4.6	-0.4	0.0	0.0	0.1	0.7
		RFL	1.8	-0.1	0.0	0.0	0.0	-0.2	1.8	-0.1	0.0	0.0	0.0	0.3
		EQX	-0.1	-0.1	2.0	0.0	3.2	-0.1	-0.1	-0.1	2.0	0.0	-3.0	0.1
		EQY	1.5	-1.7	0.5	0.0	0.7	-2.6	1.5	-1.7	0.5	0.0	-0.7	2.4
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.2	-0.3	0.0	0.0	-0.1	-0.4	0.2	-0.3	0.0	0.0	0.0	0.4
K-23	1	D0	5.0	0.3	-0.1	0.0	-0.1	0.3	5.0	0.3	-0.1	0.0	0.1	-0.5
		DL	4.6	0.4	-0.1	0.0	-0.1	0.5	4.6	0.4	-0.1	0.0	0.1	-0.7
		RFL	1.8	0.2	0.0	0.0	0.0	0.2	1.8	0.2	0.0	0.0	0.0	-0.3
		EQX	0.2	-0.1	2.0	0.0	3.1	-0.2	0.2	-0.1	2.0	0.0	-2.9	0.2
		EQY	-1.4	-1.6	0.0	0.0	0.0	-2.5	-1.4	-1.6	0.0	0.0	0.0	2.2
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	-0.2	-0.3	0.0	0.0	0.0	-0.4	-0.2	-0.3	0.0	0.0	0.0	0.4
LI-23	1	D0	5.0	-0.2	0.0	0.0	-0.1	-0.2	5.0	-0.2	0.0	0.0	0.1	0.4
		DL	4.6	-0.3	0.0	0.0	-0.1	-0.4	4.6	-0.3	0.0	0.0	0.1	0.7
		RFL	1.8	-0.1	0.0	0.0	0.0	-0.1	1.8	-0.1	0.0	0.0	0.0	0.3
		EQX	0.2	-0.1	2.0	0.0	3.2	-0.2	0.2	-0.1	2.0	0.0	-2.9	0.2
		EQY	1.4	-1.6	0.5	0.0	0.7	-2.5	1.4	-1.6	0.5	0.0	-0.7	2.2
		WLX	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		WLY	0.2	-0.3	0.0	0.0	-0.1	-0.4	0.2	-0.3	0.0	0.0	0.0	0.4

Engineer: Name
4:48:58 p. m. 26/06/2025

Column	Str	Load	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3	Axial	Shear2	Shear3	Torque	Mom-2	Mom-3
K-22	1	D0	5.3	0.3	-0.1	0.0	-0.1	0.3	5.3	0.3	-0.1	0.0	0.1	-0.5
		DL	5.0	0.4	-0.1	0.0	-0.1	0.5	5.0	0.4	-0.1	0.0	0.2	-0.8
		RFL	2.0	0.2	0.0	0.0	-0.1	0.2	2.0	0.2	0.0	0.0	0.1	-0.3
		EQX	-0.6	-0.2	2.0	0.0	3.2	-0.3	-0.6	-0.2	2.0	0.0	-3.0	0.3
		EQY	-1.3	-1.5	0.0	0.0	0.0	-2.3	-1.3	-1.5	0.0	0.0	0.0	2.1
		WLX	-0.1	0.0	0.1	0.0	0.1	-0.1	-0.1	0.0	0.1	0.0	-0.1	0.1
		WLY	-0.3	-0.3	0.0	0.0	0.0	-0.5	-0.3	-0.3	0.0	0.0	0.0	0.4
LI-22	1	D0	5.2	-0.2	-0.1	0.0	-0.1	-0.2	5.2	-0.2	-0.1	0.0	0.1	0.4
		DL	4.9	-0.3	-0.1	0.0	-0.1	-0.4	4.9	-0.3	-0.1	0.0	0.1	0.7
		RFL	2.0	-0.1	0.0	0.0	0.0	-0.1	2.0	-0.1	0.0	0.0	0.0	0.3
		EQX	-0.6	-0.2	2.1	0.0	3.3	-0.3	-0.6	-0.2	2.1	0.0	-3.1	0.3
		EQY	1.3	-1.5	0.5	0.0	0.7	-2.3	1.3	-1.5	0.5	0.0	-0.7	2.1
		WLX	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	0.0	0.1	0.0	-0.1	0.1
		WLY	0.3	-0.3	0.0	0.0	-0.1	-0.5	0.3	-0.3	0.0	0.0	0.1	0.4
K-20	1	D0	4.3	0.2	0.1	0.0	0.0	0.3	4.3	0.2	0.1	0.0	-0.1	-0.4
		DL	2.7	0.3	0.1	0.0	0.1	0.3	2.7	0.3	0.1	0.0	-0.2	-0.5
		RFL	1.1	0.1	0.0	0.0	0.0	0.1	1.1	0.1	0.0	0.0	-0.1	-0.2
		EQX	1.4	-0.2	1.7	0.0	2.8	-0.3	1.4	-0.2	1.7	0.0	-2.3	0.3
		EQY	-1.2	-1.4	0.0	0.0	0.0	-2.1	-1.2	-1.4	0.0	0.0	0.0	2.0
		WLX	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	0.0	0.1	0.0	-0.1	0.1
		WLY	-0.3	-0.3	0.0	0.0	0.0	-0.5	-0.3	-0.3	0.0	0.0	0.0	0.4
LI-20	1	D0	4.2	-0.1	0.1	0.0	0.1	-0.1	4.2	-0.1	0.1	0.0	-0.2	0.3
		DL	2.6	-0.1	0.1	0.0	0.1	-0.1	2.6	-0.1	0.1	0.0	-0.3	0.3
		RFL	1.0	-0.1	0.1	0.0	0.0	-0.1	1.0	-0.1	0.1	0.0	-0.1	0.1
		EQX	1.4	-0.2	1.7	0.0	2.8	-0.3	1.4	-0.2	1.7	0.0	-2.3	0.3
		EQY	1.3	-1.4	0.4	0.0	0.6	-2.1	1.3	-1.4	0.4	0.0	-0.5	2.0
		WLX	0.1	0.0	0.1	0.0	0.1	-0.1	0.1	0.0	0.1	0.0	-0.1	0.1
		WLY	0.3	-0.3	0.0	0.0	0.0	-0.5	0.3	-0.3	0.0	0.0	0.0	0.4

Units: ton, ton-m

[illegible]

Engineer: Name
4:48:58 p. m. 26/06/2025

Engineer: Name
4:48:58 p. m. 26/06/2025

Engineer: Name
4:48:58 p. m. 26/06/2025

Engineer: Name
4:48:58 p. m. 26/06/2025

Engineer: Name
4:48:58 p. m. 26/06/2025

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name

4:48:58 p. m. 26/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
K (9'-34')	2	D0	0.0	0.0	0.7	0.0	1.5	0.0	1.5	0.0	0.0	0.0	1.9	0.0	-2.1	0.0
		DL	0.0	0.0	1.4	0.0	3.4	0.0	3.4	0.0	0.0	0.0	3.2	0.0	-3.0	0.0
		RFL	0.0	0.0	0.6	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.3	0.0	-1.2	0.0
		EQX	0.0	0.0	-0.8	0.0	0.3	0.0	2.6	1.0	0.0	0.0	-0.8	0.0	2.6	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
K (34-10')	2	D0	0.0	0.0	-1.5	0.0	-2.0	0.0	0.0	0.0	0.0	0.0	-0.7	0.0	0.0	0.0
		DL	0.0	0.0	-1.6	0.0	-2.1	0.0	0.0	0.0	0.0	0.0	-0.7	0.0	0.0	0.0
		RFL	0.0	0.0	-0.7	0.0	-0.9	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B' (32-9')	2	D0	0.0	0.0	-0.6	0.0	0.1	0.0	0.7	.75	0.0	0.0	0.2	0.0	0.6	0.0
		DL	0.0	0.0	-1.5	0.0	0.1	0.0	1.5	.65	0.0	0.0	0.8	0.0	1.1	0.0
		RFL	0.0	0.0	-0.6	0.0	0.1	0.0	0.6	.65	0.0	0.0	0.3	0.0	0.4	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
B' (9'-34')	2	D0	0.0	0.0	0.4	0.0	0.6	0.0	0.6	0.0	0.0	0.0	1.2	0.0	-1.6	0.0
		DL	0.0	0.0	0.2	0.0	1.1	0.0	1.1	0.0	0.0	0.0	2.0	0.0	-2.0	0.0
		RFL	0.0	0.0	0.1	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.8	0.0	-0.8	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B' (34-10')	2	D0	0.0	0.0	-1.1	0.0	-1.6	0.0	0.0	0.0	0.0	0.0	-0.6	0.0	0.0	0.0
		DL	0.0	0.0	-1.5	0.0	-2.0	0.0	0.0	0.0	0.0	0.0	-0.6	0.0	0.0	0.0
		RFL	0.0	0.0	-0.6	0.0	-0.8	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
J (32-9')	2	D0	0.0	0.0	-0.7	0.0	0.0	0.0	0.6	.6	0.0	0.0	0.5	0.0	0.3	0.0
		DL	0.0	0.0	-0.8	0.0	0.0	0.0	0.7	.65	0.0	0.0	0.4	0.0	0.5	0.0
		RFL	0.0	0.0	-0.3	0.0	0.0	0.0	0.3	.65	0.0	0.0	0.1	0.0	0.2	0.0
		EQX	0.0	0.0	-1.3	0.0	-3.0	0.0	0.5	1.0	0.0	0.0	-1.3	0.0	0.5	0.0
		EQY	0.0	0.0	0.2	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.2	0.0	0.0	0.0
		WLX	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0	1.0	0.0	0.0	-0.1	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
J (9'-33)	2	D0	0.0	0.0	0.9	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.4	0.1	-1.0	0.0
		DL	0.0	0.0	1.3	0.1	0.5	0.0	0.5	0.0	0.0	0.0	1.7	0.1	-1.3	0.0
		RFL	0.0	0.0	0.5	0.1	0.2	0.0	0.2	0.0	0.0	0.0	0.7	0.1	-0.5	0.0
		EQX	0.0	0.0	-1.3	0.0	0.5	0.0	2.0	1.0	0.0	0.0	-1.3	0.0	2.0	0.0
		EQY	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.3	0.0
		WLX	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	1.0	0.0	0.0	-0.1	0.0	0.1	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
J (33-34)	2	D0	0.0	0.0	1.4	0.0	-1.3	0.0	0.0	0.0	0.0	0.0	1.9	0.0	-3.1	0.0
		DL	0.0	0.0	1.5	0.0	-1.6	0.0	0.0	0.0	0.0	0.0	2.0	0.0	-3.6	0.0
		RFL	0.0	0.0	0.6	0.0	-0.6	0.0	0.0	0.0	0.0	0.0	0.8	0.0	-1.4	0.0
		EQX	0.0	0.0	-3.8	0.0	-1.3	0.0	3.0	1.0	0.0	0.0	-3.8	0.0	3.0	0.0
		EQY	0.0	0.0	1.0	0.1	0.5	0.0	0.5	0.0	0.0	0.0	1.0	0.1	-0.7	0.0
		WLX	0.0	0.0	-0.2	0.0	-0.1	0.0	0.2	1.0	0.0	0.0	-0.2	0.0	0.2	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
J (34-10')	2	D0	0.0	0.0	-2.7	0.0	-4.2	0.0	0.0	1.0	0.0	0.0	-1.9	0.0	0.0	0.0
		DL	0.0	0.0	-3.1	0.1	-4.9	0.0	0.0	1.0	0.0	0.0	-2.2	0.1	0.0	0.0
		RFL	0.0	0.0	-1.3	0.0	-1.9	0.0	0.0	1.0	0.0	0.0	-0.9	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C' (33-34)	2	D0	0.0	0.0	0.6	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	-1.0	0.0
		DL	0.0	0.0	0.6	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	-1.1	0.0
		RFL	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	-0.4	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0

Engineer: Name
4:48:58 p. m. 26/06/2025

Engineer: Name
4:48:58 p. m. 26/06/2025

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name

4:48:58 p. m. 26/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
34 (LI-K)	1	D0	0.0	0.0	-0.4	0.0	-0.3	0.0	0.1	.5	0.0	0.0	0.4	0.0	-0.3	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 (K-J)	1	D0	0.0	0.0	-0.4	0.0	-0.2	0.0	0.1	.5	0.0	0.0	0.4	0.0	-0.2	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 (J-H)	1	D0	0.0	0.0	-0.9	0.0	-1.3	0.0	0.6	.5	0.0	0.0	0.9	0.0	-1.3	0.0
		DL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		RFL	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1' (LI-A')	2	D0	0.0	0.0	-0.6	0.0	0.1	0.0	0.7	1.0	0.0	0.0	0.0	0.0	0.7	0.0
		DL	0.0	0.0	-0.4	0.0	0.1	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.5	0.0
		RFL	0.0	0.0	-0.1	0.0	0.0	0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1' (A'-K)	2	D0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.6	0.0	0.1	0.0
		DL	0.0	0.0	0.1	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.4	0.0	0.1	0.0
		RFL	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
20 (LI-A')	2	D0	0.0	0.0	-1.2	0.0	-0.2	0.0	1.3	1.0	0.0	0.0	-0.3	0.0	1.3	0.0
		DL	0.0	0.0	-1.2	0.0	-0.2	0.0	1.4	1.0	0.0	0.0	-0.3	0.0	1.4	0.0
		RFL	0.0	0.0	-0.5	0.0	-0.1	0.0	0.5	1.0	0.0	0.0	-0.1	0.0	0.5	0.0
		EQX	0.0	0.0	-0.2	0.0	-0.4	0.0	0.0	1.0	0.0	0.0	-0.2	0.0	0.0	0.0
		EQY	0.0	0.0	-1.2	0.0	-2.5	0.0	0.0	1.0	0.0	0.0	-1.2	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.3	0.0	-0.6	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0
20 (A'-K)	2	D0	0.0	0.0	0.4	0.0	1.3	0.0	1.3	0.0	0.0	0.0	1.2	0.0	-0.4	0.0
		DL	0.0	0.0	0.4	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.3	0.0	-0.4	0.0
		RFL	0.0	0.0	0.2	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	-0.2	0.0
		EQX	0.0	0.0	-0.2	0.0	0.0	0.0	0.4	1.0	0.0	0.0	-0.2	0.0	0.4	0.0
		EQY	0.0	0.0	-1.2	0.0	0.0	0.0	2.5	1.0	0.0	0.0	-1.2	0.0	2.5	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		WLY	0.0	0.0	-0.3	0.0	0.0	0.0	0.6	1.0	0.0	0.0	-0.3	0.0	0.6	0.0
2' (LI-A')	2	D0	0.0	0.0	-0.6	0.0	0.1	0.0	0.8	1.0	0.0	0.0	-0.1	0.0	0.8	0.0
		DL	0.0	0.0	-1.2	0.0	0.2	0.0	1.4	1.0	0.0	0.0	-0.1	0.0	1.4	0.0
		RFL	0.0	0.0	-0.5	0.0	0.1	0.0	0.6	1.0	0.0	0.0	0.0	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2' (A'-K)	2	D0	0.0	0.0	0.1	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.6	0.0	0.1	0.0
		DL	0.0	0.0	0.1	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.2	0.0	0.2	0.0
		RFL	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
22 (LI-A')	2	D0	0.0	0.0	-1.4	0.0	-0.3	0.0	1.7	1.0	0.0	0.0	-0.6	0.0	1.7	0.0
		DL	0.0	0.0	-2.2	0.0	-0.5	0.0	2.9	1.0	0.0	0.0	-1.1	0.0	2.9	0.0
		RFL	0.0	0.0	-0.9	0.0	-0.2	0.0	1.2	1.0	0.0	0.0	-0.4	0.0	1.2	0.0
		EQX	0.0	0.0	-0.2	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0
		EQY	0.0	0.0	-1.3	0.0	-2.7	0.0	0.0	0.0	0.0	0.0	-1.3	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.3	0.0	-0.5	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0

Engineer: Name
4:48:58 p. m. 26/06/2025

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name

4:48:58 p. m. 26/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
5' (A'-K)	2	D0	0.0	0.0	0.1	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.6	0.0	0.1	0.0
		DL	0.0	0.0	0.1	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.2	0.0	0.2	0.0
		RFL	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
27 (LI-A')	2	D0	0.0	0.0	-1.4	0.0	-0.3	0.0	1.6	1.0	0.0	0.0	-0.5	0.0	1.6	0.0
		DL	0.0	0.0	-2.2	0.0	-0.5	0.0	2.7	1.0	0.0	0.0	-1.0	0.0	2.7	0.0
		RFL	0.0	0.0	-0.9	0.0	-0.2	0.0	1.1	1.0	0.0	0.0	-0.4	0.0	1.1	0.0
		EQX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	-1.6	0.0	-3.2	0.0	0.0	0.0	0.0	0.0	-1.6	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0
27 (A'-K)	2	D0	0.0	0.0	0.5	0.0	1.6	0.0	1.6	0.0	0.0	0.0	1.4	0.0	-0.3	0.0
		DL	0.0	0.0	1.0	0.0	2.7	0.0	2.7	0.0	0.0	0.0	2.2	0.0	-0.5	0.0
		RFL	0.0	0.0	0.4	0.0	1.1	0.0	1.1	0.0	0.0	0.0	0.9	0.0	-0.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.0	0.0	0.1	0.0
		EQY	0.0	0.0	-1.6	0.0	0.0	0.0	3.2	1.0	0.0	0.0	-1.6	0.0	3.2	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	0.0	0.0	0.4	1.0	0.0	0.0	-0.2	0.0	0.4	0.0
6' (LI-A')	2	D0	0.0	0.0	-0.6	0.0	0.1	0.0	0.8	1.0	0.0	0.0	-0.1	0.0	0.8	0.0
		DL	0.0	0.0	-1.2	0.0	0.2	0.0	1.4	1.0	0.0	0.0	-0.1	0.0	1.4	0.0
		RFL	0.0	0.0	-0.5	0.0	0.1	0.0	0.6	1.0	0.0	0.0	0.0	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6' (A'-K)	2	D0	0.0	0.0	0.1	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.6	0.0	0.1	0.0
		DL	0.0	0.0	0.1	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.2	0.0	0.2	0.0
		RFL	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
30 (LI-A')	2	D0	0.0	0.0	-1.5	0.0	-0.4	0.0	1.7	1.0	0.0	0.0	-0.6	0.0	1.7	0.0
		DL	0.0	0.0	-2.3	0.0	-0.6	0.0	2.8	1.0	0.0	0.0	-1.1	0.0	2.8	0.0
		RFL	0.0	0.0	-0.9	0.0	-0.2	0.0	1.1	1.0	0.0	0.0	-0.5	0.0	1.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	-1.7	0.0	-3.4	0.0	0.0	0.0	0.0	0.0	-1.7	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0
30 (A'-K)	2	D0	0.0	0.0	0.6	0.0	1.7	0.0	1.7	0.0	0.0	0.0	1.4	0.0	-0.3	0.0
		DL	0.0	0.0	1.1	0.0	2.8	0.0	2.8	0.0	0.0	0.0	2.2	0.0	-0.5	0.0
		RFL	0.0	0.0	0.4	0.0	1.1	0.0	1.1	0.0	0.0	0.0	0.9	0.0	-0.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	-1.7	0.0	0.0	0.0	3.4	1.0	0.0	0.0	-1.7	0.0	3.4	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	0.0	0.0	0.4	1.0	0.0	0.0	-0.2	0.0	0.4	0.0
7' (LI-A')	2	D0	0.0	0.0	-0.7	0.0	0.1	0.0	0.8	1.0	0.0	0.0	-0.1	0.0	0.8	0.0
		DL	0.0	0.0	-1.2	0.0	0.2	0.0	1.5	1.0	0.0	0.0	-0.1	0.0	1.5	0.0
		RFL	0.0	0.0	-0.5	0.0	0.1	0.0	0.6	1.0	0.0	0.0	0.0	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7' (A'-K)	2	D0	0.0	0.0	0.1	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.7	0.0	0.1	0.0
		DL	0.0	0.0	0.1	0.0	1.5	0.0	1.5	0.0	0.0	0.0	1.2	0.0	0.2	0.0
		RFL	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
31 (LI-A')	2	D0	0.0	0.0	-1.5	0.0	-0.4	0.0	1.8	1.0	0.0	0.0	-0.6	0.0	1.8	0.0
		DL	0.0	0.0	-2.4	0.0	-0.7	0.0	3.0	1.0	0.0	0.0	-1.2	0.0	3.0	0.0
		RFL	0.0	0.0	-1.0	0.0	-0.3	0.0	1.2	1.0	0.0	0.0	-0.5	0.0	1.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	-1.9	0.0	-3.9	0.0	0.0	0.0	0.0	0.0	-1.9	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name

4:48:58 p. m. 26/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
31 (A'-K)	2	D0	0.0	0.0	0.6	0.0	1.8	0.0	1.8	0.0	0.0	0.0	1.5	0.0	-0.3	0.0
		DL	0.0	0.0	1.2	0.0	3.0	0.0	3.0	0.0	0.0	0.0	2.4	0.0	-0.6	0.0
		RFL	0.0	0.0	0.5	0.0	1.2	0.0	1.2	0.0	0.0	0.0	0.9	0.0	-0.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		EQY	0.0	0.0	-1.9	0.0	0.0	0.0	3.9	1.0	0.0	0.0	-1.9	0.0	3.9	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	0.0	0.0	0.4	1.0	0.0	0.0	-0.2	0.0	0.4	0.0
8' (LI-A')	2	D0	0.0	0.0	-0.6	0.0	0.1	0.0	0.7	1.0	0.0	0.0	0.0	0.0	0.7	0.0
		DL	0.0	0.0	-1.3	0.0	0.2	0.0	1.5	1.0	0.0	0.0	0.0	0.0	1.5	0.0
		RFL	0.0	0.0	-0.5	0.0	0.1	0.0	0.6	1.0	0.0	0.0	0.0	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8' (A'-K)	2	D0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.6	0.0	0.1	0.0
		DL	0.0	0.0	0.0	0.0	1.5	0.0	1.5	0.0	0.0	0.0	1.3	0.0	0.2	0.0
		RFL	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
32 (LI-A')	2	D0	0.0	0.0	-1.4	0.0	-0.4	0.0	1.6	1.0	0.0	0.0	-0.5	0.0	1.6	0.0
		DL	0.0	0.0	-2.6	0.0	-0.7	0.0	3.2	1.0	0.0	0.0	-1.2	0.0	3.2	0.0
		RFL	0.0	0.0	-1.0	0.0	-0.3	0.0	1.3	1.0	0.0	0.0	-0.5	0.0	1.3	0.0
		EQX	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
		EQY	0.0	0.0	-1.7	0.0	-4.2	0.0	0.0	0.0	0.0	0.0	-1.7	0.0	-0.8	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0
32 (A'-K)	2	D0	0.0	0.0	1.1	0.0	1.6	0.0	1.6	0.0	0.0	0.0	2.0	0.0	-1.5	0.0
		DL	0.0	0.0	2.0	0.0	3.2	0.0	3.2	0.0	0.0	0.0	3.4	0.0	-2.3	0.0
		RFL	0.0	0.0	0.8	0.0	1.3	0.0	1.3	0.0	0.0	0.0	1.4	0.0	-0.9	0.0
		EQX	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		EQY	0.0	0.0	-1.7	0.0	-0.8	0.0	2.5	1.0	0.0	0.0	-1.7	0.0	2.5	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.1	0.0	0.2	1.0	0.0	0.0	-0.1	0.0	0.2	0.0
32 (K-B')	2	D0	0.0	0.0	-1.5	0.0	-1.4	0.0	0.5	1.0	0.0	0.0	-0.7	0.0	0.5	0.0
		DL	0.0	0.0	-1.6	0.0	-2.2	0.0	0.5	1.0	0.0	0.0	-1.4	0.0	0.5	0.0
		RFL	0.0	0.0	-0.7	0.0	-0.9	0.0	0.2	1.0	0.0	0.0	-0.6	0.0	0.2	0.0
		EQX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	-1.9	0.0	-2.6	0.0	0.9	1.0	0.0	0.0	-1.9	0.0	0.9	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	-0.2	0.0	0.1	1.0	0.0	0.0	-0.2	0.0	0.1	0.0
32 (B'-J)	2	D0	0.0	0.0	-0.1	0.0	0.5	0.0	0.5	.1	0.0	0.0	0.7	0.0	0.0	0.0
		DL	0.0	0.0	0.2	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.4	0.0	0.0	0.0
		RFL	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0
		EQX	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	0.0
		EQY	0.0	0.0	-1.9	0.0	0.9	0.0	4.3	1.0	0.0	0.0	-1.9	0.0	4.3	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	0.1	0.0	0.4	1.0	0.0	0.0	-0.2	0.0	0.4	0.0
9' (LI-A')	2	D0	0.0	0.0	-0.5	0.0	0.1	0.0	0.6	.9	0.0	0.0	0.1	0.0	0.6	0.0
		DL	0.0	0.0	-1.2	0.0	0.2	0.0	1.4	.95	0.0	0.0	0.0	0.0	1.4	0.0
		RFL	0.0	0.0	-0.5	0.0	0.1	0.0	0.6	.95	0.0	0.0	0.0	0.0	0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9' (A'-K)	2	D0	0.0	0.0	0.1	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.7	0.0	-0.2	0.0
		DL	0.0	0.0	0.2	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.5	0.0	-0.4	0.0
		RFL	0.0	0.0	0.1	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.6	0.0	-0.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
9' (K-B')	2	D0	0.0	0.0	-0.5	0.0	-0.2	0.0	0.2	.95	0.0	0.0	0.0	0.0	0.2	0.0
		DL	0.0	0.0	-1.1	0.0	-0.5	0.0	0.9	1.0	0.0	0.0	-0.4	0.0	0.9	0.0
		RFL	0.0	0.0	-0.4	0.0	-0.2	0.0	0.3	1.0	0.0	0.0	-0.2	0.0	0.3	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name

4:48:58 p. m. 26/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
9' (B'-J)	2	D0	0.0	0.0	-0.1	0.0	0.2	0.0	0.2	.25	0.0	0.0	0.4	0.0	-0.1	0.0
		DL	0.0	0.0	0.2	0.0	0.9	0.0	0.9	0.0	0.0	0.0	0.9	0.0	0.0	0.0
		RFL	0.0	0.0	0.1	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.3	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
33 (J-C')	2	D0	0.0	0.0	-1.6	0.0	-1.4	0.0	0.9	1.0	0.0	0.0	-0.7	0.0	0.9	0.0
		DL	0.0	0.0	-1.1	-0.1	-1.2	0.0	0.5	1.0	0.0	0.0	-0.5	-0.1	0.5	0.0
		RFL	0.0	0.0	-0.4	0.0	-0.5	0.0	0.2	1.0	0.0	0.0	-0.2	0.0	0.2	0.0
		EQX	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0
		EQY	0.0	0.0	-1.1	0.0	-4.3	0.0	0.0	0.0	0.0	0.0	-1.1	0.0	-2.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0
33 (C'-D')	2	D0	0.0	0.0	-1.2	0.0	0.9	0.0	2.5	1.0	0.0	0.0	-0.3	0.0	2.5	0.0
		DL	0.0	0.0	-1.1	0.0	0.5	0.0	2.1	1.0	0.0	0.0	-0.4	0.0	2.1	0.0
		RFL	0.0	0.0	-0.4	0.0	0.2	0.0	0.9	1.0	0.0	0.0	-0.2	0.0	0.9	0.0
		EQX	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	-1.0	0.0	-2.1	0.0	0.1	1.0	0.0	0.0	-1.0	0.0	0.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0	1.0	0.0	0.0	-0.1	0.0	0.0	0.0
33 (D'-E')	2	D0	0.0	0.0	0.0	0.0	2.5	0.0	2.5	0.0	0.0	0.0	1.0	0.0	1.4	0.0
		DL	0.0	0.0	0.1	0.0	2.1	0.0	2.1	0.0	0.0	0.0	0.7	0.0	1.2	0.0
		RFL	0.0	0.0	0.0	0.0	0.9	0.0	0.9	0.0	0.0	0.0	0.3	0.0	0.5	0.0
		EQX	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		EQY	0.0	0.0	-1.0	0.0	0.1	0.0	2.3	1.0	0.0	0.0	-1.0	0.0	2.3	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	0.0	0.0	0.2	1.0	0.0	0.0	-0.1	0.0	0.2	0.0
33 (E'-H)	2	D0	0.0	0.0	0.8	0.0	1.4	0.0	1.4	0.0	0.0	0.0	1.6	0.0	-1.1	0.0
		DL	0.0	0.0	0.6	0.1	1.2	0.0	1.2	0.0	0.0	0.0	1.2	0.1	-0.6	0.0
		RFL	0.0	0.0	0.3	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	-0.2	0.0
		EQX	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	0.0
		EQY	0.0	0.0	-1.0	0.0	2.3	0.0	4.3	1.0	0.0	0.0	-1.0	0.0	4.3	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLY	0.0	0.0	-0.1	0.0	0.2	0.0	0.3	1.0	0.0	0.0	-0.1	0.0	0.3	0.0
33 (H-F')	2	D0	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.5	0.0	0.0	0.0
		DL	0.0	0.0	0.5	0.1	0.4	0.0	0.4	0.0	0.0	0.0	0.6	0.1	0.0	0.0
		RFL	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 (LI-A')	2	D0	0.0	0.0	-1.5	0.0	-0.4	0.0	1.6	1.0	0.0	0.0	-0.6	0.0	1.6	0.0
		DL	0.0	0.0	-2.2	0.0	-0.6	0.0	2.6	1.0	0.0	0.0	-1.0	0.0	2.6	0.0
		RFL	0.0	0.0	-0.9	0.0	-0.3	0.0	1.0	1.0	0.0	0.0	-0.4	0.0	1.0	0.0
		EQX	0.0	0.0	0.1	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.1	0.0	0.1	0.0
		EQY	0.0	0.0	-2.0	0.0	-4.9	0.0	0.0	0.0	0.0	0.0	-2.0	0.0	-0.8	0.0
		WLX	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0
34 (A'-K)	2	D0	0.0	0.0	0.9	0.0	1.6	0.0	1.6	0.0	0.0	0.0	1.8	0.0	-1.1	0.0
		DL	0.0	0.0	1.7	0.0	2.6	0.0	2.6	0.0	0.0	0.0	2.8	0.0	-1.9	0.0
		RFL	0.0	0.0	0.7	0.0	1.0	0.0	1.0	0.0	0.0	0.0	1.1	0.0	-0.8	0.0
		EQX	0.0	0.0	-0.1	0.0	0.1	0.0	0.2	1.0	0.0	0.0	-0.1	0.0	0.2	0.0
		EQY	0.0	0.0	-2.0	0.0	-0.8	0.0	3.3	1.0	0.0	0.0	-2.0	0.0	3.3	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.2	0.0	-0.1	0.0	0.3	1.0	0.0	0.0	-0.2	0.0	0.3	0.0
34 (K-B')	2	D0	0.0	0.0	-1.1	0.0	-1.1	0.0	0.2	1.0	0.0	0.0	-0.3	0.0	0.2	0.0
		DL	0.0	0.0	-1.8	0.0	-1.8	0.0	0.7	1.0	0.0	0.0	-0.9	0.0	0.7	0.0
		RFL	0.0	0.0	-0.7	0.0	-0.7	0.0	0.3	1.0	0.0	0.0	-0.4	0.0	0.3	0.0
		EQX	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0
		EQY	0.0	0.0	-1.5	0.0	-2.5	0.0	0.3	1.0	0.0	0.0	-1.5	0.0	0.3	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0	1.0	0.0	0.0	-0.1	0.0	0.0	0.0
34 (B'-J)	2	D0	0.0	0.0	2.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0	2.9	0.0	-4.3	0.0
		DL	0.0	0.0	2.8	-0.1	0.7	0.0	0.7	0.0	0.0	0.0	3.7	-0.1	-5.2	0.0
		RFL	0.0	0.0	1.1	0.0	0.3	0.0	0.3	0.0	0.0	0.0	1.5	0.0	-2.1	0.0
		EQX	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	0.0
		EQY	0.0	0.0	-1.5	0.0	0.3	0.0	3.0	1.0	0.0	0.0	-1.5	0.0	3.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	0.0	0.0	0.2	1.0	0.0	0.0	-0.1	0.0	0.2	0.0

Company: Company

Project: IE HECTOR MANUEL VIDES BALLESTEROS (MÓDULO 1)

Engineer: Name

4:48:58 p. m. 26/06/2025

Beam	Floor	Load	Ax1	Shr2	Shr3	Torque	M2	M3	M2	X/L	Ax1	Shr2	Shr3	Torque	M2	M3
34 (J-C')	2	D0	0.0	0.0	-4.0	0.0	-5.4	0.0	1.8	1.0	0.0	0.0	-3.1	0.0	1.8	0.0
		DL	0.0	0.0	-4.7	-0.1	-6.4	0.0	2.0	1.0	0.0	0.0	-3.6	-0.1	2.0	0.0
		RFL	0.0	0.0	-1.9	0.0	-2.5	0.0	0.8	1.0	0.0	0.0	-1.4	0.0	0.8	0.0
		EQX	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
		EQY	0.0	0.0	-0.8	0.0	-2.7	0.0	0.0	0.0	0.0	0.0	-0.8	0.0	-1.2	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0
34 (C'-D')	2	D0	0.0	0.0	-1.3	0.0	1.7	0.0	3.5	1.0	0.0	0.0	-0.3	0.0	3.5	0.0
		DL	0.0	0.0	-1.5	0.0	1.9	0.0	3.9	1.0	0.0	0.0	-0.3	0.0	3.9	0.0
		RFL	0.0	0.0	-0.6	0.0	0.8	0.0	1.6	1.0	0.0	0.0	-0.1	0.0	1.6	0.0
		EQX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		EQY	0.0	0.0	-0.8	0.0	-1.2	0.0	0.6	1.0	0.0	0.0	-0.8	0.0	0.6	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0	1.0	0.0	0.0	-0.1	0.0	0.0	0.0
34 (D'-E')	2	D0	0.0	0.0	0.0	0.0	3.5	0.0	3.5	0.0	0.0	0.0	0.9	0.0	2.4	0.0
		DL	0.0	0.0	-0.1	0.0	3.9	0.0	3.9	.1	0.0	0.0	1.1	0.0	2.9	0.0
		RFL	0.0	0.0	-0.1	0.0	1.6	0.0	1.6	.1	0.0	0.0	0.4	0.0	1.2	0.0
		EQX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		EQY	0.0	0.0	-0.8	0.0	0.6	0.0	2.4	1.0	0.0	0.0	-0.8	0.0	2.4	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	-0.1	0.0	0.0	0.0	0.2	1.0	0.0	0.0	-0.1	0.0	0.2	0.0
34 (E'-H)	2	D0	0.0	0.0	2.2	0.0	2.4	0.0	2.4	0.0	0.0	0.0	3.1	0.0	-2.9	0.0
		DL	0.0	0.0	2.4	0.1	2.9	0.0	2.9	0.0	0.0	0.0	3.5	0.1	-3.0	0.0
		RFL	0.0	0.0	1.0	0.0	1.2	0.0	1.2	0.0	0.0	0.0	1.4	0.0	-1.2	0.0
		EQX	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0
		EQY	0.0	0.0	-0.8	0.0	2.4	0.0	4.1	1.0	0.0	0.0	-0.8	0.0	4.1	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
		WLY	0.0	0.0	-0.1	0.0	0.2	0.0	0.3	1.0	0.0	0.0	-0.1	0.0	0.3	0.0
34 (H-F')	2	D0	0.0	0.0	-2.0	0.0	-1.2	0.0	0.0	1.0	0.0	0.0	-1.7	0.0	0.0	0.0
		DL	0.0	0.0	-1.6	0.1	-1.0	0.0	0.0	1.0	0.0	0.0	-1.4	0.1	0.0	0.0
		RFL	0.0	0.0	-0.6	0.0	-0.4	0.0	0.0	1.0	0.0	0.0	-0.6	0.0	0.0	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10' (LI-A')	2	D0	0.0	0.0	-0.4	0.0	0.1	0.0	0.4	.7	0.0	0.0	0.2	0.0	0.3	0.0
		DL	0.0	0.0	-0.4	0.0	0.1	0.0	0.3	.7	0.0	0.0	0.2	0.0	0.3	0.0
		RFL	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	.7	0.0	0.0	0.1	0.0	0.1	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10' (A'-K)	2	D0	0.0	0.0	0.1	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.7	0.0	-0.4	0.0
		DL	0.0	0.0	0.2	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.8	0.0	-0.7	0.0
		RFL	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.3	0.0	-0.3	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
10' (K-B')	2	D0	0.0	0.0	0.0	0.0	-0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	-1.1	0.0
		DL	0.0	0.0	0.1	0.0	-0.9	0.0	0.0	0.0	0.0	0.0	0.6	0.0	-1.5	0.0
		RFL	0.0	0.0	0.1	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.6	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10' (B'-J)	2	D0	0.0	0.0	0.0	0.0	-1.1	0.0	0.0	0.0	0.0	0.0	0.5	0.0	-1.5	0.0
		DL	0.0	0.0	0.0	0.0	-1.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	-1.9	0.0
		RFL	0.0	0.0	0.0	0.0	-0.6	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.8	0.0
		EQX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		EQY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
		WLY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0

Engineer: Name
4:48:58 p. m. 26/06/2025